

NEGARA BRUNEI DARUSSALAM

AERONAUTICAL INFORMATION

AERODROME

PRE-FLIGHT INFORMATION BULLETIN

Briefing Id

B2300001

Date/Time

23MAY20 1259

Period

24MAY20 0000 TO 24MAY20 2359

Briefing includes **NOTAM**

Subject

Purpose

+B +BO +NB
+NBO +M +NM

Traffic

+I +IV

AERODROME

WBSB WBAK WBKK WBKL WBKS WGBB WBGJ WBGR WBSG WBKW WBMU WBGG
WMKK WMKJ WAAA WIHH WADD WARR

AIS INFORMATION

WBSB (BRUNEI INTL)

AGA	B) 2005181730 D) MAY 18-22 25-29 1730-2359 AND MAY 23-24 30-31 0000-2359 E) ALL COMMERCIAL AND GA FLT INCLUDING TECH STOP TO AND FM BRUNEI ARE REQUIRED TO NOTIFY THE AIRPORT AUTHORITY AT LEAST THREE (3) HRS IN ADVANCE. DRG THESE PERIODS DO NOT NOMINATE WBSB AS ALTN AD.	C) 2005312359	(B0358/20)
AGA	B) 2004140755 E) STOP BARS AND LEAD ON LGTS AT E3, E4 AND E5 IS UNDER ABNORMAL OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.	C) 2012312359	(B0282/20)
AGA	B) 2002060830 E) STOP BARS AND LEAD ON LGTS AT W1, W3 AND W4 IS UNDER ABNORMAL OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.	C) 2012310830	(B0107/20)
CNS	B) 2005140106 E) ILS RWY 21 U/S.	C) 2006140106	(B0352/20)
OTH	B) 1912310725 E) RVR (RWY VISUAL RANGE) U/S.	C) 2012312359	(B0939/19)
OTH	B) 1211150000 E) BRUNEI DARUSSALAM WILL ONLY ACCEPT SUBMISSION OF FPL AND ATS MESSAGES IN NEW FORMAT FILED IN ACCORDANCE WITH AMENDMENT 1 TO THE 15TH EDITION OF PANS-ATM DOC 4444. FPL AND ATS MESSAGES IN PRESENT FORMAT WILL BE REJECTED AND AS A CONSEQUENCE SUCH FLIGHTS WILL BE DALAYED.	C) PERM	(B0133/16)

WBAK ()

AGA	B) 1912310500 E) BIRDS CONCENTRATION IN THE VICINITY OF THE RWY AND AD. PILOT TO EXER CTN DRG LDG AND TKOF.	C) 2006302359	(B0933/19)
AGA	B) 1911290600 E) BRUNEI SHELL PETROLEUM HEADQUARTERS HELIPAD (043630N 1141717E) PERMISSION REQUIRED PRIOR FOR LANDING, NIGHT OPERATIONS FOR BSP SAR. ONLY.	C) PERM	(B0871/19)
AGA	B) 1901160654 E) KB HELIPAD (043523N 1141106E) OPEN PRIOR PERMISSION REQUIRED FOR LDG	C) PERM	(B0025/19)
AGA	B) 1901160641 E) PANAGA HEALTH CENTRE HELIPAD (PHC) COORD 043639N1141805E CLSD.	C) PERM	(B0024/19)
OTH	B) 2005230001 D) H24 E) PRESENCE OF LAND RIG JO-3 WITH HGT 110FT AT F-29 PSN EAST OF SERIA CRUDE OIL TERMINAL COORD 0437474N 11421193E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2005272359	(B0367/20)
OTH	B) 2005222315 D) H24 E) PRESENCE OF WIRELINE CRANE OPS WITH HGT 60FT AT E-32 PSN 043807N1142212E, LEFTBASE RWY05 AREA ANDUKI. LIT AT NGT AND PILOTS TO EXER CTN.	C) 2005292359	(B0366/20)
OTH	B) 2005010001 E) PRESENCE OF OFFSHORE BARGE BELAIT CSS02 WITH HGT 180FT AMSL PSN AT MAGPIE2 COORD 050634N1142635E. LIT AT NGT. PILOTS TO EXER CTN.	C) 2006012359	(B0324/20)
OTH	B) 2005010001 E) PRESENCE OF OFFSHORE JACK UP RIG MAERSK CONVINCER WITH CRANE HGT 200FT AMSL PSN AT MAGPIE03 COORD 050512N1142711E. LIT AT NGT. PILOTS TO EXER CTN.	C) 2006012359	(B0325/20)

OTH	B) 2003280227 E) TWO(2)TOWER CRANE ERECTED AT COORD 055821.02N 1160404.25E, 3100M FM END OF RWY20 (APPROACH AREA). CRANE HGT/240FT AMSL	C) 2006302359 EST	(D0355/20)
OTH	B) 2003280222 E) CRANE ERECTED AT COORD 055748.42N 1160411.41E (URBAN TRANSFORMATION CENTER BUILDING, KARAMUNSING, SABAH). CRANE HGT/300FT AMSL.	C) 2006302359 EST	(D0354/20)
OTH	B) 2003280219 E) THREE TOWER CRANES ERECTED AT COORD 055703N 1160338E (AEROPOD,TANJUNG ARU),APRX 385M E OF RCL.CRANES HGT/300FT AMSL	C) 2006302359 EST	(D0353/20)
OTH	B) 2003010306 E) CRANE WITH HGT 300FT ERECTED AT COORD 055710N 1160312E (PLAZA TANJUNG ARU)	C) 2006010400	(D0221/20)

WBKL (LABUAN)

AGA	B) 2005120311 E) AD OPS HR CHANGED TO 2200-0800	C) 2006091400	(D0509/20)
AGA	B) 2004300326 E) BAY NR 2 CLSD DUE TO WIP	C) 2006302159	(D0480/20)
AGA	B) 2004260330 E) DIST TO RUN MARKER BOARD 1/8 RWY 14 NIL	C) 2006162359	(D0447/20)
AGA	B) 2003312359 E) NORTHERN CABLE U/S.	C) 2006302359	(D0384/20)
AGA	B) 2003312330 E) UNEVEN RWY SFC RMK: 1 RWY 32 FM THR MARKER TIL 1500FT 2 RWY 14 FM THR MARKER TIL 3000FT PILOT TO EXER CTN DRG TKOF AND LDG..	C) 2006302359	(D0385/20)
AGA	B) 2003190000 E) TWY B CLSD.	C) 2006182359	(D0291/20)

WBKS (SANDAKAN)

AGA	B) 2005222300 E) AD OPS HR CHG TO 0000-1100	C) 2005311400	(D0520/20)
AGA	B) 2004130612 E) GENERAL HELIPAD CLSD DUE TO CONSTRUCTION WORK	C) 2007130600	(D0415/20)
AGA	B) 2003132200 E) PRECISION APCH LGT RWY 08 DOWNGRADE TO SIMPLE APCH LGT DUE TO RWY EXTENSION PROJECT	C) 2006132159	(D0265/20)

WBGB (BINTULU)

AGA	B) 2005120000 E) PAPI RWY 35 U/S.	C) 2008122359	(D0504/20)
AGA	B) 2005110306 E) AD OPS HR CHANGED TO 0100-1000	C) 2005311000	(D0502/20)

WBGJ (LIMBANG)

AGA	B) 2005112230 E) AD OPS HR CHG TO 0030-0630	C) 2006091030	(D0506/20)
AGA	B) 2004160145	C) 2007162359 EST	(D0426/20)

E) WDI RWY 22 U/S.

WBGR (MIRI)

AGA B) 2005110329 C) 2008121530 (D0503/20)
E) AD OPS HR CHANGED TO 2200-1400

AGA B) 2005060800 C) 2008060600 EST (D0490/20)
E) FOR WING TIP CLEARANCE PURPOSE MARSHALLER ARE REQUIRED FOR ACFT PRKG AND PUSHBACK FM BAY 2 OR BAY 3 WHEN ONE OF THE BAY IS OCCUPIED.

AGA B) 2002280116 C) 2005312359 EST (D0206/20)
E) TO ENABLE ATC TO APPLY MNM SPACING ON FNA THAT WILL ACHIEVE MAX RWY UTILISATION AND MINIMISE THE OCCURRENCE OF 'GO-AROUNDS'. LDG ACFT SHALL EXIT THE LDG RWY WO DLA AT THE FIRST SUITABLE EXIT TWY OR AS INSTRUCTED BY ATC. ACFT LDG RWY 02 THAT IS UNABLE TO EXIT THE LDG RWY VIA AVBL EXIT TWY SHALL STOP AND REVERSE COURSE ON THE RWY ASAP. ACFT THAT NEED TO PROCEED TO THE END OF THE RWY AND REVERSE COURSE ON THE TURNING PAN SHALL INFORM ATC BFR LDG.

CNS B) 2003281034 C) 2006302359 (D0369/20)
E) VOR/DME VMI 112.4MHZ/CH71X U/S.

OTH B) 2005050630 C) 2008052359 EST (D0483/20)
E) CRANE ERECTED 120FT AMSL AT 042026.56N 1135934.47E 760M FM THR RWY20.

OTH B) 2003310200 C) 2006302130 EST (D0377/20)
D) 1530-2130
E) MOBILE CRANE OPS 570M FM THR RWY20 LEFT AND RIGHT.
CRANE HEIGHT :150 FT
RMK:DLA SCHEDULED FLIGHTS MIGHT BE OPR BEYOND OPS HR

OTH B) 2002290300 C) 2005310900 EST (D0214/20)
D) DLY 0300 - 0900
E) PILING MACHINE ERECTED WITH HGT 33FT AT
COORD 041810.82N 1135840.89E

WBGS (SIBU)

AGA B) 2005122200 C) 2005311400 (D0513/20)
E) AD OPS HR CHANGED AS FLW
13-16 18-21 23-28 30 31 0000-1000 AND 17 22 29 0000-1200

CNS B) 2001110241 C) PERM (D0029/20)
E) NDB NIS FREQ 203KHZ PERMANENTLY WITHDRAWN

WBKW (TAWAU)

NO INFO RECEIVED OR MATCHING THE QUERY.

WBMU (MULU)

AGA B) 2003260345 C) 2006260800 EST (D0346/20)
E) BIRD CONCENTRATION ALONG RWY AND APCH RWY 03

AGA B) 2003260340 C) 2006260800 EST (D0345/20)
D) 0000-0800
E) AD OPS HR CHANGE FM HJ TO 0000-0800

AGA B) 2002280109 C) 2005312359 EST (D0204/20)
E) CRACK SFC ARE PRESENT ALONG THE TWY ON THE RIGHT AND LEFT SIDE.
RMK:1.PILOT TO EXER CTN DRG TAX IN/OUT.
2.AREA RIGHT AFT/BFR HLDG POINT OF ROUGHLY EST BTN 15M TO 35M AND NOT MARKED.

CNS B) 2002280113 C) 2005312359 EST (D0205/20)
E) DVOR VZU FREQ 112.8MHZ CH 75X U/S

CNS B) 2001170305 C) PERM (D0066/20)
E) NDB MZU FREQ 505KHZ PERMANENTLY WITHDRAWN

WBGG (KUCHING)

AGA B) 2005130218 C) 2005260001 (D0515/20)
E) RESCUE AND FIRE FIGHTING SERVICES DOWNGRADED TO CAT 7

AGA B) 2004140100 C) 2005310100 (D0411/20)
E) PAPI RWY 07 U/S

AGA B) 2003310723 C) 2005291000 EST (D0378/20)
E) TWY A1 CLSD

AGA B) 2003280415 C) 2006280415 EST (D0362/20)
E) ACFT UPON LDG RWY 25 AND VACATING VIA TWY A3 SHALL NOT MAKE A RIGHT TURN ONTO TWY A AND PCD TO CARGO APN EXC FOR LGT ACFT.

AGA B) 2003280345 C) 2006282359 EST (D0357/20)
E) SFC DEPRESSION ON TWY F

CNS B) 2005110210 C) 2006092359 EST (D0501/20)
E) KUCHING AREA CTL (SECT 2) SVC RDO FREQ(S) 132.35 MHZ (PRI) AND 133.95 MHZ (SRY) TEMPORARY WITHDRAWN.

CNS B) 2003280415 C) 2006280800 EST (D0361/20)
D) DLY 0000-0800
E) COMMISSIONING OF NEW KUCHING AREA CTL (SECT 2) RDO FREQ(S):
1.132.35 MHZ (PRI)
2.133.95 MHZ (SRY)
RMK: ACTIVATION OF THE FREQ IS SUBJ TFC COND AND ATC STAFF AVAILABILITY.

OTH B) 2004300148 C) 2007312359 EST (D0474/20)
E) CRANE ERECTED 210FT AMSL (64M) AT COORD 012928N 1102031.07E DIST 730M ON BRG 335DEG FM ARP.

OTH B) 2004300146 C) 2007312359 EST (D0473/20)
E) TWO(2) TOWER CRANES ERECTED 43M AMSL AT 013028.05N 1102249.69E (RIVERDALE RESIDENCES,KUCHING) 2,070M ON BRG 040 FM THR RWY 25 .
RMK:TOWER CRANES WITH BOOM PAINTED AND LGTD AT NGT.

OTH B) 2004220303 C) 2005312359 (D0440/20)
D) DLY 0000-0700
E) CLBR FLT WILL TAKE PLACE AT AREA BOUNDED BY COORD:
AREA 1 (NORTH OF SANTUBONG):
021303N 1101732E-020226N 1100900E-
015348N 1102005E-020423N 1102844E
AREA 2 (TANJUNG DATU):
021405N 1095035E-020332N 1094201E-
015458N 1095240E-020533N 1100111E
F) SFC G) 9000FT AMSL

OTH B) 2003280400 C) 2006280400 EST (D0358/20)
E) CRANES ERECTED WI 400M RADIUS CENTERED ON 013421N 1102226E (LOT 2273 AND 2325 PLOT 1,SECTION 66,KUCHING CENTRAL LAND DISTRICT,KUCHING).CRANE HGT/200FT AMSL

OTH B) 2002290154 C) 2005312359 EST (D0212/20)
E) PRESENCE OF CONSTRUCTION CRANE HGT 265FT AMSL AT COORD 013058N 1102044E (BEARING 005DEG 5.5 KM FM KUCHING ARP 012907N 1102042E)
RMK: (1) CONSTRUCTION CRANE PAINTED YELLOW AND LGTD.
(2) TWO BUILDING BLOCKS HEIGHT 240 FT AMSL (72.4M AMSL) UNDER CONSTRUCTION.
F) GND G) 300FT AMSL

WMKK (KUALA LUMPUR/SEPANG INTL)

AGA B) 2005201929 C) 2005281400 (A1934/20)

E) PARKING STANDS B12, B13, B14, B15, B16, AND B17 LIMITED CAPACITY TO
ATR72-600

AGA B) 2005010635 C) 2008021559 (A1062/20)
E) ENLARGEMENT OF SOUTH APRON ZONE 3 WIP AT SULTAN HASANUDDIN INTL AP
MAKASSAR PSN LEFT SIDE OF TERMINAL BUILDING IN FRONT OF SOUTH APN
DIMENSION 31.946M2. ALL ACFT MOVEMENT AT SULTAN HASANUDDIN INTL AP
SHALL CONCERN REGARDING INFORMATION BLW:
-TEMPORARY BARRIERS POSITION ALONG SIDE OF THE CONSTRUCTION AREA
-HEAVY EQUIPMENT PRESENT

AGA B) 2005010000 C) 2005310900 (A1054/20)
E) ALL TFC CTN ADZ DUE TO WIP ALONG 2370M PSN AS FLW:
- EAST SIDE RWY 03/21
- 380M FROM THRESHOLD RWY 03
- 134.98 FROM CENTERLINE RWY 03/21
- 104.98 FROM SHOULDER RWY 03/21
RMK: HEAVY EQUIPMENT PRESENT

AGA B) 2004302200 C) 2005312159 (A1041/20)
E) TO AVOID THE SPREAD OF COVID-19, OPERATION HOURS OF AD CHANGED TO
2200 -1100
RMK:EXC FOR MEDIVAC FLT, EMERGENCY FLT, TECH LDG, MILITARY FLT AND
STATE FLT

AGA B) 2004300925 C) 2005302359 (A1047/20)
E) SEQUENCE FLASHING LGT RWY 13 U/S DUE TO MAINT

AGA B) 2004201600 C) PERM (A0991/20)
E) ADDITIONAL AND CHANGES INFORMATION RELATED TO ACFT STANDS TO FLW:
ACFT STAND LATITUDE LONGITUDE CAPACITY
R15 050506.01S 1193243.52E NARROW BODY
R16 050504.86S 1193244.17E NARROW BODY
R17 050503.72S 1193244.83E NARROW BODY
R18 050502.58S 1193245.49E NARROW BODY
R19 050501.44S 1193246.14E NARROW BODY
R20 050500.29S 1193246.80E NARROW BODY
R21 050458.55S 1193247.80E NARROW BODY
R22 050457.41S 1193248.45E NARROW BODY
R23 050456.27S 1193249.11E NARROW BODY
R24 050455.12S 1193249.77E NARROW BODY
R25 050453.98S 1193250.42E NARROW BODY
R26 050452.84S 1193251.08E NARROW BODY
R27 050451.70S 1193251.73E NARROW BODY
R28 050447.34S 1193254.24E NARROW BODY
R29 050446.19S 1193254.89E NARROW BODY
R30 050445.05S 1193255.55E NARROW BODY
R31 050443.91S 1193256.20E NARROW BODY
R32 050442.77S 1193256.86E NARROW BODY
R33 050441.62S 1193257.52E NARROW BODY
R34 050440.48S 1193258.17E NARROW BODY
R35 050439.34S 1193258.83E NARROW BODY
R36 050438.20S 1193259.49E NARROW BODY
R37 050437.05S 1193300.14E NARROW BODY
R38 050435.91S 1193300.80E NARROW BODY
STRENGTH : PCN 69/R/B/W/T
REF AIP VOL II AMDT 86 DATED 19 DEC 19 SUBSECTION WAAA AD 2.8 AND
AD 2.24-2

AGA B) 2004200526 C) 2007200900 (A0999/20)
E) TWY WP BTN TWY G AND TWY H, AND TWY H CLSD DUE TO WIP
RMK : HEAVY EQUIPMENT PRESENT

AGA B) 2003290334 C) 2005251600 (A0873/20)
E) PARKING STAND B31 UNTIL B37 CLSD
RMK : TEMPORARY TAXILANE (LIMA ONE) L1 AVBL

AGA B) 2003021600 C) 2006021559 (A0663/20)
E) ENLARGEMENT OF SOUTH APRON ZONE 4 WIP AT SULTAN HASANUDDIN INTL AP
PSN AT LEFT SIDE OF CARGO APN DIMENSION 32571.404M2.
ALL ACFT MOVEMENT SHALL CONCERN REGARDING INFORMATION AS FLWS:
-CTN ADZ DURING TAXIING AT INTERSECTION BTN TWY WP AND TWY I TO SOUTH
APN AND PARKING AT SOUTH APN
-TEMPORARY BARRIERS PSN ALONG SIDE OF THE CONSTRUCTION AREA
-HEAVY EQUIPMENT PRESENT

SURABAYA EAST TMA AND SURABAYA DIRECTOR COMBINED WITH SURABAYA WEST
TMA ON FREQ 125.1 MHZ

END OF DOCUMENT