

NEGARA BRUNEI DARUSSALAM

AERONAUTICAL INFORMATION

AERODROME

PRE-FLIGHT INFORMATION BULLETIN

Briefing Id	B3000002	Date/Time	30OCT20 1529		
Period		31OCT20 0000 TO 31OCT20 2359			
Briefing includes BIRDTAM SNOWTAM ASHTAM NOTAM					
Subject		Purpose	+B +BO +NB +NBO +M +NM	Traffic	+I +IV
AERODROME	WBSB WBAK WBKK WBKL WBKS WGBB WBGJ WBGR WBG S WBKW WBMU WBG G WMKK WMKJ WAAA WIHH WADD WARR				

AIS INFORMATION

WBSB (BRUNEI INTL)

AGA	B) 2010301000 E) STAND 1 CLSD DUE TO WIP	C) 2010310100	(B0854/20)
AGA	B) 2010240650 E) STOPBAR AT E1 IS UNDER ABNORMAL OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.	C) 2011230415	(B0826/20)
AGA	B) 2010010000 D) OCT 01-02 05-09 12-16 19-23 26-30 1730-2359 OCT 03-04 10-11 17-18 24-25 31-NOV 01 0000-2359 E) ALL COMMERCIAL AND GA FLT INCLUDING TECH STOP TO AND FM BRUNEI ARE REQUIRED TO NOTIFY THE AIRPORT AUTHORITY AT LEAST THREE (3) HRS IN ADVANCE. DRG THESE PERIODS DO NOT NOMINATE WBSB AS ALTN AD.	C) 2011012359	(B0724/20)
CNS	B) 2010270836 E) ILS RWY 21 U/S	C) 2011270820	(B0852/20)
OTH	B) 2010240910 E) PRESENCE OF TWO CRANE, HGT 103M AMSL PSN AT 045846N1145536E AND 045847N1145536E (TERUNJING) ERECTED DUE TO CONSTRUCTION OF WATER TANK, HGT 71.5M AMSL. RMK/CRANES MARKED WITH CHEQUERED FLAG AND LIT AT NGT.	C) 2101312359	(B0829/20)
NAV	B) 2010290300 D) OCT 29 31 0300-0330 E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORD 045158N1144838E (KG KATIMAHAR) F) GND G) 400FT AGL	C) 2010310330	(B0812/20)
NAV	B) 2010290200 D) OCT 29 31 0200-0230 E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORD 045206N1144833E (KG LUGU) F) GND G) 400FT AGL	C) 2010310230	(B0808/20)
NAV	B) 2010290100 D) OCT 29 31 0100-0130 E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORD 045304N1144809E (KG LUGU) F) GND G) 400FT AGL	C) 2010310130	(B0803/20)
NAV	B) 2010290015 D) OCT 29 31 0015-0045 E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORD 045313N1144804E (JALAN TAKIDING, KG LUGU) F) GND G) 400FT AGL	C) 2010310045	(B0802/20)
NAV	B) 2010210000 D) OCT 21-NOV 14 0000-0400 0600-0800 E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORD:- 1.043323N1142509E 2.043958N1142853E 3.043844N1142719E 4.043908N1142814E 5.043944N1142829E 6.043954N1142842E (WATER PUMP STATION, BADAS) F) GND G) 100FT AGL	C) 2011140800	(B0784/20)
NAV	B) 2010160100 D) OCT 16 19 23 26 30 0100-0400 NOV 2 6 9 13 16 20 23 27 30 0100-0400 E) UAV ACT WILL TAKE PLACE CENTRED ON COORD 050029N1150353E (RUKUN AL YAQEEEN CONSTRUCTION SITE). F) GND G) 200FT AGL	C) 2011300400	(B0773/20)

NAV B) 2010010100 C) 2012310900 (B0652/20)
 D) OCT 1 - DEC 31 0100-0400 0600-0900
 E) UAV ACT WILL TAKE PLACE WI RAD 3500M CENTRED ON COORD 050023N1150620E
 (PULAU MUARA BESAR)
 F) GND G) 300FT AGL

WBAK ()

AGA B) 2010260200 C) 2011262359 (B0840/20)
 E) BSP HEAD OFFICE HELIPAD (043628N1141729E), CLSD DUE TO WIP HELIPAD
 RESURFACING.

AGA B) 2010230842 C) PERM (B0815/20)
 E) ALL HELICOPTER LANDING AT BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD
 COORD 043630N1141717E AND KUALA BELAIT HELIPAD COORD 043523N1141106E
 SHALL BE AT PILOT DISCRETION

AGA B) 2006300900 C) 2012312359 (B0471/20)
 E) BIRDS CONCENTRATION IN THE VICINITY OF THE RWY AND AD.
 PILOT TO EXER CTN DRG LDG AND TKOF.

OTH B) 2010300100 C) 2011052359 (B0855/20)
 D) H24
 E) PRESENCE OF HOIST JO-3 WITH HGT 110FT AT E-16 PSN 043600N1141836E.
 RMK/LIT AT NIGHT. PILOTS TO EXER CTN.

OTH B) 2010300100 C) 2011112359 (B0857/20)
 D) H24
 E) PRESENCE OF WIRELINE CRANE OPS WITH HGT 60FT AT E-20 PSN 043710.6
 N1141936.9E NORTH OF OIL AND GAS DISCOVERY CENTER (OGDC) ALONG THE
 BEACH. RMK/LIT AT NIGHT. PILOTS TO EXER CTN.

OTH B) 2010260300 C) 2011102359 (B0841/20)
 E) PRESENCE OF OFFSHORE BARGE 'BELAIT CSS2' APPROX HGT 99FT AMSL PSN
 050735.4N1144710.8E (CHAMPION SOUTH ANCHORAGE). LIT AT NIGHT. PILOT
 TO EXER CAUTION.

OTH B) 2010260200 C) PERM (B0839/20)
 E) KUALA BELAIT HELIPAD (043523N1141106E) LIGHTING HGT IS 40CM ABV GND
 LEVEL.

OTH B) 2010010400 C) 2011152359 (B0726/20)
 E) PRESENCE OF OFFSHORE BARGE BELAIT CSS-01 WITH HGT 200FT PSN AT BLWJ-1
 (BULAN-BULAN) COORD 051930N1144418E, LIT AT NIGHT, PILOTS TO EXER
 CTN.

OTH B) 2008190330 C) 2011192359 (B0639/20)
 E) PRESENCE OF OFFSHORE JACK UP RIG MAERSK CONVINCER WITH CRANE HGT
 200FT AMSL AND DECK HGT 125FT AMSL PSN AT COORD 051254N1143715E. LIT
 AT NGT AND PILOT TO EXER CTN.

OTH B) 2007250430 C) 2010312359 (B0574/20)
 E) PRESENCE OF OFFSHORE DRILLING RIG, DEEP DRILLER 5 (DD5) WITH HGT
 275FT AMSL PSN AT CWWJ-44 COORD 051140N1144518E. LIT AT NGT. PILOTS
 TO EXER CTN.

OTH B) 2007010000 C) 2012312359 (B0475/20)
 D) H24
 E) PRESENCE OF YELLOW COLOUR WEIGHT WI DIMENSION OF ABOUT 24INCH BY
 24INCH WI WEIGHT OF 500LBS LOCATED AT THE SIDE OF ENTRANCE TWY C.

OTH B) 2006300900 C) 2012312359 (B0472/20)
 E) PRESENCE OF WHITE COLOUR MARKERS LOCATED FM THR LEFT HAND SIDE OF
 RWY05 DIST OF 100M, 200M, 300M, 400M AND ON LEFT HAND SIDE OF RWY23
 DIST OF 100M, 200M AND 300M.

OTH B) 1409010700 C) PERM (B0139/16)
 E) THE REMOTE SWITCH FUNCTION FOR AD GND LIGHTING (AGL) ON FREQ 122.1MHZ
 IS CURRENTLY OUT OF SERVICE DUE TO INSTALLATION OF THE NEW
 SWITCHBOARD PANEL

NAV B) 2010010000 C) 2010311000 (B0721/20)
D) OCT 01-04 08-11 AND 30-31 0000-0400 AND 0500-1000
E) UAV OPS WILL TAKE PLACE WI RAD 100M AT THYSSENKRUPP PLANT (SPARK AND
JETTY LOADING PLATFORM) WITH COORDS 044033N1142855E 044101N1142843E
F) GND G) 400FT AGL

WBKK (KOTA KINABALU)

AGA B) 2010261552 C) 2011012359 (D1139/20)
E) STOP BAR LGT TWY G U/S

AGA B) 2010200830 C) 2010310300 (D1121/20)
E) BAY 14 TO 19 CLSD.
RMKS:1 PILOT TO EXER CTN DRG TAX.
2 CLSD AREA WILL BE MARKED AND LGTD.

AGA B) 2010190327 C) 2011172359 (D1113/20)
E) TWY C CL LGT ON ALTN.

AGA B) 2010190314 C) 2011172359 (D1112/20)
E) RCLL RWY 20/02 ON ALTN

AGA B) 2009290300 C) 2012311600 (D1020/20)
E) AD RFFS DOWNGRADED TO CAT 7
RMK: AD RFFS WILL BE UPGRADED TO CAT 9 UPON RECEIVING
NOTIFICATION FOR CODE E ACFT OPS WI 24 HR

AGA B) 2008311330 C) 2011302359 EST (D0881/20)
E) AUTOMATIC WEATHER OBSERVING SYSTEM(AWOS) RWY20 U/S.
RMK/WIND VELOCITY,DIRECTION AND RVR INFO BY TWR OBS ONLY

OTH B) 2010301222 C) 2012312359 (D1152/20)
E) 3 TOWER CRANE ERECTED IN THE VICINTY OF AD COORD
055445.9N 1160351E. HGT 96M (315FT AMSL)
FLAGGED AND LGTD AT NGT.
RMK: LOCATED APPROX 2400M EAST OF THR RWY 02

OTH B) 2010080707 C) 2012080707 (D1078/20)
E) CRANE ERECTED AT 055915.03N 1160442.44E HGT 330FT AMSL

OTH B) 2010010000 C) PERM (D0986/20)
E) AIS NEW OFFICE WILL OPR AT THE FLW ADS:
AERONAUTICAL INFORMATION SERVICES (AIS)
CIVIL AVIATION AUTHORITY OF MALAYSIA
AIR TRAFFIC CONTROL CENTRE,
JALAN KEPAYAN,
88618 KOTA KINABALU,SABAH
REF AIP GEN 3.1-1 PARA 3.1.1.4

OTH B) 2009290428 C) 2012312359 EST (D1028/20)
E) FOUR TOWER CRANE ERECTED AT 055820.86N 1160330.82E. APPROX 2750M
BFR THR RWY20,600M W OF EXTENDED RCL.CRANES HGT/315FT AMSL

OTH B) 2009290333 C) 2012312359 EST (D1023/20)
E) TWO TOWER CRANE ERECTED AT 055821.02N 1160404.25E,APPROX 3100M
NORTH OF RWY20.CRANE HGT/240FT AMSL

OTH B) 2009290310 C) 2012312359 EST (D1022/20)
E) CRANE ERECTED AT COORD 055748.42N 1160411.41E
(URBAN TRANSFORMATION CENTER BUILDING, KARAMUNSING)
CRANE HGT/300FT AMSL.

OTH B) 2009290308 C) 2012312359 EST (D1021/20)
E) THREE TOWER CRANES ERECTED AT 055703N 1160338E
(AEROPOD,TANJUNG ARU),APRX 385M E OF RCL.CRANES HGT/300FT AMSL

WBKL (LABUAN)

AGA B) 2010270432 C) 2011301400 (D1142/20)

E) AD OPS HR CHANGED TO 2200-0700

AGA B) 2009302359 C) 2012302359 EST (D1029/20)
E) UNEVEN RWY SFC
RMK: 1. RWY 32 FM THR MARKER TIL 457M
2. RWY 14 FM THR MARKER TIL 914M
PILOT TO EXER CTN DRG TKOF AND LDG

AGA B) 2009280121 C) 2012262359 (D1006/20)
E) WIP NEAR TWY A.
RMK/PILOT TO EXER CTN DRG TAX.

AGA B) 2009170630 C) 2012182359 EST (D0944/20)
E) TWY B CLSD

WBKS (SANDAKAN)

AGA B) 2010272349 C) 2011301400 (D1148/20)
E) AD OPS HR CHG TO 2300-1300

AGA B) 2010140600 C) 2011141500 (D1083/20)
E) GENERAL HELIPAD CLSD DUE TO WIP.

AGA B) 2009120313 C) 2011250000 (D0922/20)
E) ACFT LDG RWY 26 SHALL MAKE
180 DEGREE TURN ON THE RWY.

AGA B) 2009030730 C) 2011251600 EST (D0907/20)
E) TURNING PAD ON RWY 08 CLSD DUE WIP.

AGA B) 2008251600 C) 2011251600 (D0843/20)
E) RWY08/26 DECLARED DIST CHANGED TO:
RWY TORA(M) TODA(M) ASDA(M) LDA(M) RESA(M)
08 1923 1923 1923 NU 90X90
26 1923 1923 1923 1923 90X90
REF AIP SUPPLEMENT MALAYSIA 05/2020 DATED 28 MAY 2020 PAGE 3 ITEM
NR 7

AGA B) 2008251600 C) 2011251600 (D0844/20)
E) PAPI RWY 08 WITHDRAWN
REF AIP SUPPLEMENT MALAYSIA 05/2020 DATED 28 MAY 2020 PAGE 3 ITEM
NR 7

AGA B) 2008251600 C) 2011251600 (D0845/20)
E) SALS RWY 08 WITHDRAWN
REF AIP SUPPLEMENT MALAYSIA 05/2020 DATED 28 MAY 2020 PAGE 3 ITEM
NR 7

CNS B) 2008251600 C) 2011251600 (D0846/20)
E) ILS/LOC RWY 08 ISKN FREQ 109.3MHZ WITHDRAWN
REF AIP SUPPLEMENT MALAYSIA 05/2020 DATED 28 MAY 2020 PAGE 3 ITEM
NR 7

WBGB (BINTULU)

AGA B) 2010222200 C) 2010311300 (D1117/20)
E) AD OPS HR CHG TO 2200-1130

AGA B) 2010060500 C) 2101072359 (D1051/20)
E) PAPI RWY 35 U/S

WBGJ (LIMBANG)

AGA B) 2010280000 C) 2012271030 (D1147/20)
E) AD OPR HRS CHANGE AS FLW
MON TUE WED THUR FRI AND SAT 0000-0900
SUN 0000-0930

WBGR (MIRI)

AGA	B) 2010051135 E) VISUAL DOCKING GUIDANCE SYSTEM BAY 04 U/S RMK:PILOT TAX IN FLW MARSHALLER	C) 2011041600	(D1042/20)
AGA	B) 2008310128 E) TO ENABLE ATC TO APPLY MNM SPACING ON FNA THAT WILL ACHIEVE MAX RWY UTILISATION AND MINIMISE THE OCCURRENCE OF GO-AROUNDS. LDG ACFT SHALL EXIT THE LDG RWY WO DLA AT THE FIRST SUITABLE EXIT TWY OR AS INSTRUCTED BY ATC. ACFT LDG RWY 02 THAT IS UNABLE TO EXIT THE LDG RWY VIA AVBL EXIT TWY SHALL STOP AND REVERSE COURSE ON THE RWY ASAP. ACFT THAT NEED TO PROCEED TO THE END OF THE RWY AND REVERSE COURSE ON THE TURNING PAN SHALL INFORM ATC BFR LDG.	C) 2011302359 EST	(D0874/20)
AGA	B) 2007290247 E) AD OPS HR CHANGED TO 2200-1400	C) 2011121600	(D0761/20)
CNS	B) 2010070400 E) DVOR/DME VMI 112.4MHZ/CH71X U/S.	C) 2012312359	(D1062/20)
OTH	B) 2010051500 D) 1500-2100 E) MOBILE CRANE OPERATING AT 042020.03N 1135937.05E - 042029.34N 1135934.17E CRANE HGT 150FT AGL (MIRI AIRPORT INTERCHANGE)	C) 2012312100 EST	(D1041/20)
OTH	B) 2010051500 D) DLY BTN 1500-2100 E) MOBILE CRANE OPERATING AT COORD 042024.12N 1135933.98E WITHIN 1NM RADIUS AT HEIGHT 150FT.	C) 2012312100	(D1037/20)
OTH	B) 2008111051 E) CRANE ERECTED 120FT AMSL AT 042026.56N 1135934.47E 760M FM THR RWY20.	C) 2011112359 EST	(D0814/20)

WBGs (SIBU)

AGA	B) 2010262200 E) AD OPS HRS CHG AS FLW : TUE, THU AND SAT 2200 - 1030 MON, WED, FRI AND SUN 2200 - 1230	C) 2011021400	(D1140/20)
------------	--	----------------------	------------

WBKW (TAWAU)

CNS	B) 2010310200 E) RADAR WITHDRAWN	C) 2010311000	(D1132/20)
ATM	B) 2010120259 E) CHG OF WPT RWY06 AND RWY24 COORD AS FLW : RWY06 : 041825.28N 1180641.96E RWY24 : 041911.11N 1180756.07E REF TO AIP MALAYSIA AD2-WBKW-1-9,AD2-WBKW-8-9 AND AD2-WBKW-8-13, AMD THE AFFECTED PAGES ACCORDINGLY	C) PERM	(D1085/20)

WBMU (MULU)

AGA	B) 2010232205 E) AD OPS HR CHANGE TO 0000-0800.	C) 2012271019	(D1134/20)
AGA	B) 2008310318 E) CRACK SFC ARE PRESENT ALONG THE TWY ON THE RIGHT AND LEFT SIDE. RMK:1.PILOT TO EXER CTN DRG TAX IN/OUT. 2.AREA RIGHT AFT/BFR HLDG POINT OF ROUGHLY EST BTN 15M TO 35M AND NOT MARKED.	C) 2011302359 EST	(D0876/20)
CNS	B) 2008310320 E) DVOR VZU FREQ 112.8MHZ CH 75X U/S	C) 2011302359 EST	(D0877/20)

WBGG (KUCHING)

AGA	B) 2010130350 E) AFRS DOWNGRADED TO CAT 7	C) 2012130001 EST	(D1090/20)
AGA	B) 2010041700 D) 1700-2000 E) RWY 07/25 CLSD FOR MAINT	C) 2010312000	(D1038/20)
AGA	B) 2009280517 E) SFC DEPRESSION ON TWY F	C) 2012312359 EST	(D1009/20)
AGA	B) 2009280516 E) ACFT UPON LDG RWY 25 AND VACATING VIA TWY A3 SHALL NOT MAKE A RIGHT TURN ONTO TWY A AND PCD TO CARGO APN EXC FOR LGT ACFT.	C) 2012312359 EST	(D1008/20)
AGA	B) 2007300026 E) TWY A1 CLSD	C) 2010311000 EST	(D0766/20)
CNS	B) 2009280448 D) DLY 0000-0800 E) COMMISSIONING OF NEW KUCHING AREA CTL (SECT 2) RDO FREQ(S): 1.132.35 MHZ (PRI) 2.133.95 MHZ (SRY) RMK: ACTIVATION OF THE FREQ IS SUBJ TFC COND AND ATC STAFF AVAILABILITY.	C) 2012280800 EST	(D1007/20)
CNS	B) 2008311525 E) ATS UNDER KUCHING AREA CTL (SECT 2) WITH RADIO FREQ(S) 132.35 MHZ (PRI) AND 133.95 MHZ (SRY) TEMP WITHDRAWN.	C) 2011302359 EST	(D0882/20)
OTH	B) 2010271355 E) CONSTRUCTION CRANE ERECTED UP TO 63.0M AMSL(206.7 FT) AT COORD 012736.21N 1102543.03E 4.13NM ON BEARING 119 FM THR RWY25 RMK:TOWER CRANE WITH BOOM PAINTED YELLOW AND LIGHTED AT NIGHT	C) 2012182359 EST	(D1146/20)
OTH	B) 2010271324 E) CONST CRANE HGT 265FT AMSL AT COORD 013158N 1102044E(BRG 005 DEG 5.5KM FM WBGG ARP 012907N 1102042E) RMK:(1) CONST CRANE PAINTED Y AND LGTD (2) TWO BLDG HGT 240FT AMSL (72.4M AMSL) UNDER CONST.	C) 2011302359 EST	(D1145/20)
OTH	B) 2010220700 E) CONST CRANE PSN 012736N 1102543E ERECTED 207FT AMSL. 119DEG 7650M FM THR RWY25. LIGHTED.	C) 2101222359 EST	(D1128/20)
OTH	B) 2010201030 E) OBST LIGHT WITHDRAWAL PHASE 1 CHIMNEY 410FT AT COORDS 013816N 1102754E (SEJINGKAT POWER CORPORATION PTE LTD)	C) 2011302300	(D1110/20)
OTH	B) 2009281340 E) CRANES ERECTED WI 400M RADIUS CENTRED ON 013421N 1102226E (LOT 2273 AND 2325 PLOT 1,SECTION 66,KUCHING CENTRAL LAND DISTRICT,KUCHING).CRANE HGT/200FT AMSL	C) 2011302359 EST	(D1016/20)

WMKK (KUALA LUMPUR/SEPANG INTL)

AGA	B) 2010312201 E) TWY U3 CL LGT WITHDRAWN	C) 2011152200	(A4057/20)
AGA	B) 2010312201 E) CL LGT OF TWY U4 BTN TWY Q AND ACFT STAND P1 AND BTN ACFT STAND Q11 AND TWY Z WITHDRAWN	C) 2011152200	(A4058/20)
AGA	B) 2010291017 E) RWY 15/33 CL LGTS U/S	C) 2012312200	(A4062/20)
AGA	B) 2010291015	C) 2011152200	(A4061/20)

E) CL LGT TWY Y FM INT Y1 TIL INT Y4 U/S

AGA	B) 2010291012 E) TWY P CL LGT WITHDRAWN	C) 2011302200	(A4060/20)
AGA	B) 2010291009 E) STOPBAR LGT INT P1 TIL INT P4 WITHDRAWN RMK: LEAD IN/OUT LGT INT P1 TIL INT P4 NOT AVBL	C) 2011302200	(A4059/20)
AGA	B) 2010290522 D) OCT 29 1600-2200, OCT 30 31 NOV 1 0100-1100 E) RWY 14L/32R CLSD	C) 2011011100	(A4054/20)
AGA	B) 2010290312 E) PORTION OF TWY U3 FM ABM ACFT STAND J22 TIL TWY Q CLSD	C) 2011050200	(A4048/20)
AGA	B) 2010280915 E) PAPI RIGHT HAND SIDE RWY 32L U/S.	C) 2012312200	(A4044/20)
AGA	B) 2010241600 D) 24 25 27 28 30 OCT-01 NOV 1600-2200 E) RWY 14R/32L CLSD	C) 2011012200	(A3982/20)
AGA	B) 2010240200 D) DLY 0200-1100 E) RWY 15/33 CLSD	C) 2011011100	(A3983/20)
AGA	B) 2010211600 E) TWY A CL LGT FM INT A9 TIL A10 U/S	C) 2011022200	(A3964/20)
AGA	B) 2010150948 E) CL LGT OF TWY U4 BTN TWY Q AND ACFT STAND P1 AND BTN ACFT STAND Q11 AND TWY Z WITHDRAWN.	C) 2010312200	(A3851/20)
AGA	B) 2010150945 E) TWY U3 CL LGT WITHDRAWN.	C) 2010312200	(A3850/20)
AGA	B) 2010150200 E) TWY U3 ABM ACFT STAND J20 CLSD	C) 2011041100	(A3820/20)
AGA	B) 2010070436 E) APCH AND RWY LIGHTINGS RWY 14L/32R, RWY 14R/32L DOWNGRADE TO CAT I	C) 2010312200	(A3705/20)
AGA	B) 2009300415 E) STOPBAR LGT INT C1 TIL INT C11 WITHDRAWN. RMK: 1. LEAD IN/OUT LGT INT C1 TIL INT C11 NOT AVBL	C) 2010312200	(A3606/20)
CNS	B) 2010301438 E) SMR U/S RMK: DEP AND ARR SUBJ DLA	C) 2012302359	(A4096/20)
ATM	B) 2009180129 E) IMPLEMENTATION OF RNAV (GNSS) SIMULTANEOUS INDEPENDENT PARALLEL APCH AT WMKK FOR THE FOLLOWING INSTRUMENT APPROACH PROCEDURES: RWY 14L RNAV (GNSS) RWY 14R RNAV Z (GNSS) RWY 14R RNAV Y (GNSS) RWY 15 RNAV (GNSS) RWY 32L RNAV Z (GNSS) RWY 32L RNAV Y (GNSS) RWY 32R RNAV (GNSS) RWY 33 RNAV (GNSS) RMK: 1 PILOTS SHALL MONITOR WMKK CATIS (ARRIVAL) FOR THE EXPECTED INSTRUMENT APPROACH. 2 OPERATORS ARE RESPONSIBLE TO OBTAIN THE GNSS RAIM PREDICTION ASSOCIATED WITH GNSS AVAILABILITY OR IT'S UNAVAILABILITY, AT THIS STAGE CAAM WOULD NOT PROVIDE THIS SERVICE. 3 PILOTS SHOULD NOTIFY ATC DEGRADATION OF THE RAIM DATA SIGNAL OR BEING UNABLE TO PERFORM THE RNAV (GNSS) APCH.	C) 2012182359 EST	(A3438/20)

ATM	B) 2008010530 E) REF TO AIP MALAYSIA AD2-WMKK-1-29 PARA 2.22.7 - VIS COND IS TEMPO SUSPENDED	C) 2010312300	(A2807/20)
OTH	B) 2010290400 E) INFO SIGN TWY P TWY Q INT U5 INT U6 AND INT Q5 WITHDRAWN FOR MAINT	C) 2011152200	(A4053/20)
OTH	B) 2010210708 D) DLY 0000-1400 E) THREE CRANES ERECTED AT COORD OF 024410.09N 1014102.01E (ACFT STAND Q16). RMK:CRANES MAX HGT/30M AMSL.	C) 2011181400	(A3942/20)
OTH	B) 2008100418 E) CTL TOWER WEST (024445.7N1014105.0E) OBSTRUCTION LGT U/S RMK: PILOT TO EXER CTN	C) 2011102359 EST	(A2912/20)

WMKJ (JOHOR BAHRU/SENAI INTL)

AGA	B) 2010301600 E) PARTIAL GA APN CLSD. RMK:PILOT TO EXER CTN DRG START UP AND TAX.	C) 2101302359	(A4082/20)
AGA	B) 2010212230 E) AD OPS HRS CHG TO 2300-1400	C) 2010311600	(A3962/20)
AGA	B) 2008141601 E) BAY 2A,3A,4A,5,6 AND 7 NOT AVBL	C) 2011141600	(A2990/20)
CNS	B) 2010312330 E) RADAR SVC OPS HR CHG TO 0000-0900	C) 2012311330	(A4074/20)
CNS	B) 2010300430 E) ILS GP FREQ 333.8MHZ U/S	C) 2012312359	(A4073/20)
CNS	B) 2009291211 E) VMR FREQ 116.8 MHZ CH115X U/S	C) 2012292359	(A3598/20)
CNS	B) 2009291143 E) NDB JR FREQ 245KHZ U/S	C) 2012292359	(A3595/20)
OTH	B) 2010301600 E) CRANE OPS WI 50M RADIUS OF 013803.7N 1034002.6E (MAIN TERMINAL), HGT 100FT AGL. RMK:CRANE MARKED WITH CHEQUERED FLAG AND LGTD. PILOT TO EXER CTN WHILE MANOEVRING.	C) 2101301600	(A4094/20)

WAAA (MAKASSAR/SULTAN HASANUDDIN)

AGA	B) 2010291241 E) TEMPORARY TAXILANE LIMA ONE (L1), TAXILANE KILO ONE (K1) TAXILANE LIMA TANGO (LT) AND TAXILANE KILO TANGO (KT) AVAILABLE FOR SOUTH APRON RMK : ALL WIDE BODY ACFT FROM/TO PARKING STAND B10 AND B11 THROUGH TWY E AND USING TAXILANE L1	C) 2011011559	(A2490/20)
AGA	B) 2010280900 E) PARKING STAND NR B22 AND B23 CLSD DUE TO WIP RMK:-TAXILINE KT AND K2 BEHIND PARKING STAND NR B22 AND B23 NOT AVBL FOR TAXIING -HEAVY EQUIPMENT PRESENT	C) 2011280900	(A2481/20)
AGA	B) 2010270920 E) TO AVOID THE SPREAD OF COVID-19, OPERATION HOURS OF AD CHANGED TO 2000-1300 RMK: - EXC FOR MEDIVAC FLT, EMERGENCY FLT, TECH LDG, MILITARY FLT AND STATE FLT - AVBL FOR ENROUTE ALTN AD	C) 2011302359	(A2471/20)

AGA	B) 2010010412 E) TWY CLSD DUE TO WIP AS FLW: - TWY H - TWY WP BTN TWY G AND TWY H RMK: HEAVY EQUIPMENT PRESENT	C) 2012311300	(A2237/20)
AGA	B) 2010010106 E) PARKING STAND B10, B11, B12, B13, B14, B15 CLSD DUE TO WIP	C) 2012292359	(A2230/20)
AGA	B) 2009151200 E) SEQUENCE FLASHING LGT RWY 13 U/S DUE TO MAINT	C) 2012132359	(A2094/20)
AGA	B) 2008250310 E) PARKING STAND B31 UNTIL B37 CLSD RMK : TEMPORARY TAXILANE (LIMA ONE) L1 AVBL	C) 2011232359	(A1855/20)
CNS	B) 1912060409 E) NEW SECONDARY FREQ OF MAKASSAR RADAR ON 123.80 MHZ REF AIP VOL I AMDT 83 DATED 05 DEC 19 ENR 2.1 AND VOL II AMDT 58 DATED 08 DEC 16 WAAA AD 2.18	C) PERM	(A4522/19)

WIHH (JAKARTA/HALIM PERDANAKUSUMA)

AGA	B) 2010271730 D) 27 1730-2100, OCT 28-NOV 04 1600-2100 E) RWY 06/24 CLSD DUE TO WIP	C) 2011042100	(A2475/20)
AGA	B) 2010050600 E) RWY 06/24 LIMITED TO ACFT WITH MAX MTOW 80.000KG	C) 2012310559	(A2257/20)
CNS	B) 2010200420 E) MIDDLE MARKER ON FREQ 75MHZ U/S	C) 2012202359	(A2401/20)

WADD (BALI INTL)

AGA	B) 2010281530 D) OCT 28-29 1530-2300, OCT 30-DEC 30 1500-2300 E) RWY 09/27 CLSD DUE TO WIP RMK: EXC EMERG LDG	C) 2012302300	(A2480/20)
AGA	B) 2010090400 D) OCT 09 0400-1800 OCT 10-DEC 30 0000-1800 E) ALL TFC CTN ADZ DUE TO WIP PSN ON AREA WI COORD AS FLW: 084445.60S1150930.06E-084447.87S1150930.15E- 084448.75S1150907.61E-084446.47S1150907.52E- 084445.60S1150930.06E RMK :-HVY EQPT PRESENT -CRANE ERECTED HGT 100FT	C) 2012301800	(A2301/20)
ATM	B) 2008051024 E) ADDITIONAL DATA RELATED TO ATS COMMUNICATION FACILITIES AS FLW: BALI DIRECTOR SECONDARY FREQ : 123.15MHZ REF AIP VOL II AMDT 90 DATED 23 APR 20 SUBSECTION WADD AD 2.18	C) PERM	(A1682/20)
OTH	B) 2009280922 E) OBSTACLE ANEMOMETER AWOS MIDDLE ERECTED ELEV 45.9FT HGT 32.8FT PSN ON COORD 084457.48S1151024.24E	C) 2012260900	(A2196/20)

WARR (SURABAYA/JUANDA)

AGA	B) 2010221400 D) DAILY 1400-2159 E) AD CLSD DUE TO WIP EXC FOR MEDIVAC HELICOPTER	C) 2101222159	(A2421/20)
AGA	B) 2010020221 E) RWY HOLDING POSITION TWY N1 REPLACE TO TWY NP2 BTN TWY N2 AND TWY N9 DUE TO BUMPY SURFACE	C) 2012180200	(A2248/20)

RMK: ALL TFC SUBJ ATC CLR

AGA **B)** 2009300428 **C)** 2011231700 (A2217/20)
E) PARKING STAND A5 AND A6 CLSD DUE TO WIP
 RMK: TAXILANE BEHIND PARKING STAND A5 AND A6 CLSD

AGA **B)** 2008310230 **C)** 2011300159 (A1907/20)
E) ALL ACFT ARE NOT ALLOWED MAKE ONE WHEEL LOCK TURN ON RWY 10/28

CNS **B)** 2009280405 **C)** 2010312359 (A2190/20)
E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC SERVICE DESIGNATION :
 APP (SURABAYA EAST TMA, SURABAYA DIRECTOR AND SURABAYA WEST TMA (COMBINE SECTOR)
 CALLSIGN : SURABAYA WEST CONTROL
 FREQ : 125.1MHZ
 REF AIRAC AIP AMDT 86 DATED 30 JAN 20 SUBSECTION AD 2.18)

CNS **B)** 2009280340 **C)** 2010312359 (A2188/20)
E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC SERVICE DESIGNATION : CLEARANCE DELIVERY, SMC AND TWR (COMBINE SECTOR)
 CALL SIGN : JUANDA TOWER
 FREQ : 118.3MHZ MON - FRI 0600-2359 SAT - SUN
 0000-2359
 REF AIRAC AIP AMDT 86 DATED 30 JAN 20 SUBSECTION AD 2.18

CNS **B)** 2009280325 **C)** 2010312359 (A2187/20)
E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC SERVICE DESIGNATION : CLEARANCE DELIVERY AND SMC (COMBINE SECTOR)
 CALL SIGN : JUANDA GROUND
 FREQ : 118.9MHZ MON - FRI 0000-0559
 REF AIRAC AIP AMDT 86 DATED 30 JAN 20 SUBSECTION AD 2.18

END OF DOCUMENT