

NEGARA BRUNEI DARUSSALAM

AERONAUTICAL INFORMATION

AERODROME

PRE-FLIGHT INFORMATION BULLETIN

Briefing Id B2700003

Date/Time 27NOV20 1541

Period 28NOV20 0000 TO 28NOV20 2359

Briefing includes **BIRDTAM SNOWTAM ASHTAM NOTAM**

Subject

Purpose

+B +BO +NB
+NBO +M +NM

Traffic

+I +IV

AERODROME

WBSB WBAK WBKK WBKL WBKS WBGB WBGJ WBGR WBGS WBKW WBMU WBGG
WMKK WMKJ WAAA WIHH WADD WARR

AIS INFORMATION

WBSB (BRUNEI INTL)

AGA	B) 2011230555 E) STOPBAR AT E1 IS UNDER ABNORMAL OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.	C) 2012310415	(B0944/20)
AGA	B) 2011190825 E) HIGH AND LOW INTENSITY APCH LGT RWY 21 ON ALTN	C) 2011300415	(B0932/20)
AGA	B) 2011091730 D) NOV 09-13 16-20 23-27 1730-2359 NOV 14-15 21-22 28-29 0000-2359 E) ALL COMMERCIAL AND GA FLT INCLUDING TECH STOP TO AND FM BRUNEI ARE REQUIRED TO NOTIFY THE AIRPORT AUTHORITY AT LEAST THREE (3) HRS IN ADVANCE. DRG THESE PERIODS DO NOT NOMINATE WBSB AS ALTN AD.	C) 2011292359	(B0900/20)
CNS	B) 2011270600 E) ILS RWY 21 U/S	C) 2012270820	(B0950/20)
OTH	B) 2010240910 E) PRESENCE OF TWO CRANE, HGT 103M AMSL PSN AT 045846N1145536E AND 045847N1145536E (TERUNJING) ERECTED DUE TO CONSTRUCTION OF WATER TANK, HGT 71.5M AMSL. RMK/CRANES MARKED WITH CHEQUERED FLAG AND LIT AT NGT.	C) 2101312359	(B0829/20)
NAV	B) 2011270630 D) NOV 27 28 29 DEC 04 05 06 11 12 0630-0945 DEC 13 0600-0930 E) KITE FLYING WILL TAKE PLACE WI RAD 300M CENTRED ON COORD 045013N1 145444E (KG LUMAPAS) F) GND G) 984FT AGL	C) 2012130945	(B0946/20)
NAV	B) 2010160100 D) OCT 16 19 23 26 30 0100-0400 NOV 2 6 9 13 16 20 23 27 30 0100-0400 E) UAV ACT WILL TAKE PLACE CENTRED ON COORD 050029N1150353E (RUKUN AL YAQEEN CONTRUCTION SITE). F) GND G) 200FT AGL	C) 2011300400	(B0773/20)
NAV	B) 2010010100 D) OCT 1 - DEC 31 0100-0400 0600-0900 E) UAV ACT WILL TAKE PLACE WI RAD 3500M CENTRED ON COORD 050023N1150620E (PULAU MUARA BESAR) F) GND G) 300FT AGL	C) 2012310900	(B0652/20)

WBAK ()

AGA	B) 2011260203 E) BSP HEAD OFFICE HELIPAD COORD 043628N1141729E CLSD DUE TO WIP HELIPAD RESURFING.	C) 2012312359	(B0947/20)
AGA	B) 2011220450 E) KUALA BELAIT HELIPAD (043523.4N1141106.0E) CLSD DUE WIP.	C) 2012052359	(B0943/20)
AGA	B) 2011220450 E) KUALA BELAIT HELIPAD (043523.4N1141106.0E) CLSD DUE WIP.	C) 2012052359	(A0943/20)
AGA	B) 2010230842 E) ALL HELICOPTER LANDING AT BRUNEI SHELL PETROLEUM HEAD OFFICE HELIPAD COORD 043630N1141717E AND KUALA BELAIT HELIPAD COORD 043523N1141106E SHALL BE AT PILOT DISCRETION	C) PERM	(B0815/20)
AGA	B) 2006300900 E) BIRDS CONCENTRATION IN THE VICINITY OF THE RWY AND AD. PILOT TO EXER CTN DRG LDG AND TKOF.	C) 2012312359	(B0471/20)

OTH	B) 2011260220 E) PRESENCE OF WIRELINE CRANE OPS WITH HGT 60FT AT E-20 NORTH OF OIL AND GAS DISCOVERY CENTRE (OGDC) PSN 043712N1141912E. LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2012032359	(B0949/20)
OTH	B) 2011200000 E) PRESENCE OF OFFSHORE JACK UP RIG MAERSK CONVINCER WITH CRANE HGT 200FT AMSL AND DECK HGT 125FT AMSL PSN AT COORD 051245.6N1143735.4E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2012192359	(B0936/20)
OTH	B) 2011151030 E) PRESENCE OF OFFSHORE BARGE 'BELAIT CSS-01' WI CRANE HGT APPROX 200FT PSN COORD 051930N1144418E BLWJ-1 (BULAN BULAN). LIT AT NIGHT. PILOT TO EXER CAUTION.	C) 2101312359	(B0921/20)
OTH	B) 2011120645 E) KUALA BELAIT HELIPAD (043523N1141106E) LIGHTING HGT IS 34CM ABV GND LEVEL.	C) PERM	(B0915/20)
OTH	B) 2011010327 E) PRESENCE OF OFFSHORE BARGE 'BELAIT CSS2' APPROX HGT 99FT AMSL PSN 050607N1150536E (MUARA OUTER ANCHORAGE). LIT AT NIGHT. PILOT TO EXER CAUTION.	C) 2012102359	(B0862/20)
OTH	B) 2011010001 D) H24 E) PRESENCE OF OFFSHORE DRILLING RIG, DEEP DRILLER 5 (DD5) HGT 275FT AMSL PSN 051135N1144528E(CPWJ 44).LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2012312359	(B0859/20)
OTH	B) 2007010000 D) H24 E) PRESENCE OF YELLOW COLOUR WEIGHT WI DIMENSION OF ABOUT 24INCH BY 24INCH WI WEIGHT OF 500LBS LOCATED AT THE SIDE OF ENTRANCE TWY C.	C) 2012312359	(B0475/20)
OTH	B) 2006300900 E) PRESENCE OF WHITE COLOUR MARKERS LOCATED FM THR LEFT HAND SIDE OF RWY05 DIST OF 100M, 200M, 300M, 400M AND ON LEFT HAND SIDE OF RWY23 DIST OF 100M, 200M AND 300M.	C) 2012312359	(B0472/20)
OTH	B) 1409010700 E) THE REMOTE SWITCH FUNCTION FOR AD GND LIGHTING (AGL) ON FREQ 122.1MHZ IS CURRENTLY OUT OF SERVICE DUE TO INSTALLATION OF THE NEW SWITCHBOARD PANEL	C) PERM	(B0139/16)
NAV	B) 2011190000 D) BTN 0000-0300 AND 0600-1000 E) UNMANNED ACFT VEHICLE (UAV) ACTIVITY WILL TAKE PLACE WI RAD 100M CENTRED ON COORD 044030N1142900E (BRUNEI FERTILIZER INDUSTRY PLANT) AND 044101.1N1142842.8E (BRUNEI FERTILIZER JETTY) F) GND G) 400FT AGL	C) 2101311000	(B0930/20)

WBKK (KOTA KINABALU)

AGA	B) 2011210215 E) TWY C CL LGT ON ALTN	C) 2012052359	(D1225/20)
AGA	B) 2011171315 E) RCLL RWY 02/20 ON ALTN	C) 2012182359	(D1206/20)
AGA	B) 2011061300 E) TXL BAY 6-10 CLOSED. RMK:PILOT TO EXER CTN DRG TAX.CLSD AREA WILL BE MARKED AND LGTD.	C) 2102061300	(D1176/20)
AGA	B) 2009290300 E) AD RFFS DOWNGRADED TO CAT 7 RMK: AD RFFS WILL BE UPGRADED TO CAT 9 UPON RECEIVING NOTIFICATION FOR CODE E ACFT OPS WI 24 HR	C) 2012311600	(D1020/20)
AGA	B) 2008311330 E) AUTOMATIC WEATHER OBSERVING SYSTEM(AWOS) RWY20 U/S.	C) 2011302359 EST	(D0881/20)

RMK/WIND VELOCITY,DIRECTION AND RVR INFO BY TWR OBS ONLY

OTH	B) 2010301222 E) 3 TOWER CRANE ERECTED IN THE VICINTY OF AD COORD 055445.9N 1160351E. HGT 96M (315FT AMSL) FLAGGED AND LGTD AT NGT. RMK: LOCATED APPROX 2400M EAST OF THR RWY 02	C) 2012312359	(D1152/20)
OTH	B) 2010080707 E) CRANE ERECTED AT 055915.03N 1160442.44E HGT 330FT AMSL	C) 2012080707	(D1078/20)
OTH	B) 2010010318 D) SR-SS E) FOUR(4)OBST CRANE ERECTED APRX 2.6KM FM END OF RWY02 AT COOR 055820.86N1160330.82E. FLAGGED AND LTGD AT NGT. SFC-315FT AMSL	C) 2012312359 EST	(D1035/20)
OTH	B) 2010010000 E) AIS NEW OFFICE WILL OPR AT THE FLW ADS: AERONAUTICAL INFORMATION SERVICES (AIS) CIVIL AVIATION AUTHORITY OF MALAYSIA AIR TRAFFIC CONTROL CENTRE, JALAN KEPAYAN, 88618 KOTA KINABALU,SABAH REF AIP GEN 3.1-1 PARA 3.1.1.4	C) PERM	(D0986/20)
OTH	B) 2009290428 E) FOUR TOWER CRANE ERECTED AT 055820.86N 1160330.82E. APPROX 2750M BFR THR RWY20,600M W OF EXTENDED RCL.CRANES HGT/315FT AMSL	C) 2012312359 EST	(D1028/20)
OTH	B) 2009290333 E) TWO TOWER CRANE ERECTED AT 055821.02N 1160404.25E,APPROX 3100M NORTH OF RWY20.CRANE HGT/240FT AMSL	C) 2012312359 EST	(D1023/20)
OTH	B) 2009290310 E) CRANE ERECTED AT COORD 055748.42N 1160411.41E (URBAN TRANSFORMATION CENTER BUILDING, KARAMUNSING) CRANE HGT/300FT AMSL.	C) 2012312359 EST	(D1022/20)
OTH	B) 2009290308 E) THREE TOWER CRANES ERECTED AT 055703N 1160338E (AEROPD,TANJUNG ARU),APRX 385M E OF RCL.CRANES HGT/300FT AMSL	C) 2012312359 EST	(D1021/20)

WBKL (LABUAN)

AGA	B) 2011260000 E) TWY B CLSD	C) 2102262359 EST	(D1240/20)
AGA	B) 2010270432 E) AD OPS HR CHANGED TO 2200-0700	C) 2011301400	(D1142/20)
AGA	B) 2009302359 E) UNEVEN RWY SFC RMK: 1. RWY 32 FM THR MARKER TIL 457M 2. RWY 14 FM THR MARKER TIL 914M PILOT TO EXER CTN DRG TKOF AND LDG	C) 2012302359 EST	(D1029/20)
AGA	B) 2009280121 E) WIP NEAR TWY A. RMK/PILOT TO EXER CTN DRG TAX.	C) 2012262359	(D1006/20)

WBKS (SANDAKAN)

AGA	B) 2011190430 E) ACFT LDG RWY 26 SHALL MAKE 180 DEGREE TURN ON THE RWY.	C) 2101251500	(D1215/20)
AGA	B) 2011190420 E) TURNING PAD ON RWY 08 CLSD.	C) 2101251500	(D1214/20)

AGA	B) 2011190400 E) SALS RWY 08 WITHDRAWN.	C) 2101251500	(D1212/20)
AGA	B) 2011190200 E) PAPI RWY 08 WITHDRAWN.	C) 2101251500	(D1209/20)
AGA	B) 2011190100 E) REF AIP SUPP 05/2020 PARA 7.3.7 DATED 28 MAY 2020. RWY TORA(M) TODA(M) ASDA(M) LDA(M) RESA(M) 08 1923 1923 1923 NU 90 X 90 26 1923 1923 1923 1923 90 X 90	C) 2101251500	(D1208/20)
AGA	B) 2011150600 E) GENERAL HELIPAD CLSD DUE TO CONSTRUCTION WORK	C) 2012151500	(D1193/20)
AGA	B) 2010272349 E) AD OPS HR CHG TO 2300-1300	C) 2011301400	(D1148/20)
CNS	B) 2011190410 E) ILS/LOC RWY 08 ISKN FREQ 109.3MHZ WITHDRAWN.	C) 2101251500	(D1213/20)

WBGB (BINTULU)

AGA	B) 2011140729 E) AD OPS HR CHG TO 2200-1130	C) 2011301130	(D1192/20)
AGA	B) 2010060500 E) PAPI RWY 35 U/S	C) 2101072359	(D1051/20)

WBGJ (LIMBANG)

AGA	B) 2010280000 E) AD OPR HRS CHANGE AS FLW MON TUE WED THUR FRI AND SAT 0000-0900 SUN 0000-0930	C) 2012271030	(D1147/20)
-----	---	---------------	------------

WBGR (MIRI)

AGA	B) 2011122200 E) AD OPS HR CHANGED TO 2200-1400	C) 2101121530	(D1190/20)
AGA	B) 2011100210 E) VDGS BAY 4 U/S .	C) 2101101600	(D1186/20)
AGA	B) 2008310128 E) TO ENABLE ATC TO APPLY MNM SPACING ON FNA THAT WILL ACHIEVE MAX RWY UTILISATION AND MINIMISE THE OCCURRENCE OF GO-AROUNDS. LDG ACFT SHALL EXIT THE LDG RWY WO DLA AT THE FIRST SUITABLE EXIT TWY OR AS INSTRUCTED BY ATC. ACFT LDG RWY 02 THAT IS UNABLE TO EXIT THE LDG RWY VIA AVBL EXIT TWY SHALL STOP AND REVERSE COURSE ON THE RWY ASAP. ACFT THAT NEED TO PROCEED TO THE END OF THE RWY AND REVERSE COURSE ON THE TURNING PAN SHALL INFORM ATC BFR LDG.	C) 2011302359 EST	(D0874/20)
CNS	B) 2010070400 E) DVOR/DME VMI 112.4MHZ/CH71X U/S.	C) 2012312359	(D1062/20)
OTH	B) 2010051500 D) 1500-2100 E) MOBILE CRANE OPERATING AT 042020.03N 1135937.05E - 042029.34N 1135934.17E CRANE HGT 150FT AGL (MIRI AIRPORT INTERCHANGE)	C) 2012312100 EST	(D1041/20)
OTH	B) 2010051500 D) DLY BTN 1500-2100 E) MOBILE CRANE OPERATING AT COORD 042024.12N 1135933.98E WITHIN 1NM RADIUS AT HEIGHT 150FT.	C) 2012312100	(D1037/20)

WBGs (SIBU)

AGA	B) 2011242200 E) ESTABLISH NEW ACFT PRKG CONFIGURATION AND COORD BAYS AS FLW: BAY 4 - 021522.73N 1115915.78E (PIPO) BAY 4A - 021522.34N 1115915.97E (PIPB) BAY 5 - 021521.01N 1115917.81E (PIPO) BAY 5A - 021520.63N 1115918.00E (PIPB)	C) 2012242200	(D1234/20)
-----	--	---------------	------------

AGA	B) 2011232200 E) OPS HRS OF ATC CHG TO 2200 - 1000	C) 2011301400	(D1226/20)
-----	---	---------------	------------

WBKW (TAWAU)

AGA	B) 2011092300 E) AD OPS HR CHANGED TO 2300-1200	C) 2012061200	(D1185/20)
-----	--	---------------	------------

ATM	B) 2010120259 E) CHG OF WPT RWY06 AND RWY24 COORD AS FLW : RWY06 : 041825.28N 1180641.96E RWY24 : 041911.11N 1180756.07E REF TO AIP MALAYSIA AD2-WBKW-1-9,AD2-WBKW-8-9 AND AD2-WBKW-8-13, AMD THE AFFECTED PAGES ACCORDINGLY	C) PERM	(D1085/20)
-----	---	---------	------------

WBMU (MULU)

AGA	B) 2010232205 E) AD OPS HR CHANGE TO 0000-0800.	C) 2012271019	(D1134/20)
-----	--	---------------	------------

AGA	B) 2008310318 E) CRACK SFC ARE PRESENT ALONG THE TWY ON THE RIGHT AND LEFT SIDE. RMK:1.PILOT TO EXER CTN DRG TAX IN/OUT. 2.AREA RIGHT AFT/BFR HLDG POINT OF ROUGHLY EST BTN 15M TO 35M AND NOT MARKED.	C) 2011302359 EST	(D0876/20)
-----	--	-------------------	------------

CNS	B) 2008310320 E) DVOR VZU FREQ 112.8MHZ CH 75X U/S	C) 2011302359 EST	(D0877/20)
-----	---	-------------------	------------

WBGG (KUCHING)

AGA	B) 2011240530 E) APN BAY 08 CLSD	C) 2012021000	(D1235/20)
-----	-------------------------------------	---------------	------------

AGA	B) 2011011700 D) DLY BTN 1700-2000 E) RWY 07/25 CLSD FOR MAINT	C) 2011302000	(D1157/20)
-----	--	---------------	------------

AGA	B) 2010310140 E) TWY A1 CLSD	C) 2011301000	(D1158/20)
-----	---------------------------------	---------------	------------

AGA	B) 2010130350 E) AFRS DOWNGRADED TO CAT 7	C) 2012130001 EST	(D1090/20)
-----	--	-------------------	------------

AGA	B) 2009280517 E) SFC DEPRESSION ON TWY F	C) 2012312359 EST	(D1009/20)
-----	---	-------------------	------------

AGA	B) 2009280516 E) ACFT UPON LDG RWY 25 AND VACATING VIA TWY A3 SHALL NOT MAKE A RIGHT TURN ONTO TWY A AND PCD TO CARGO APN EXC FOR LGT ACFT.	C) 2012312359 EST	(D1008/20)
-----	---	-------------------	------------

CNS	B) 2009280448 D) DLY 0000-0800 E) COMMISSIONING OF NEW KUCHING AREA CTL (SECT 2) RDO FREQ(S): 1.132.35 MHZ (PRI) 2.133.95 MHZ (SRY) RMK: ACTIVATION OF THE FREQ IS SUBJ TFC COND AND ATC STAFF AVAILABILITY.	C) 2012280800 EST	(D1007/20)
-----	--	-------------------	------------

CNS	B) 2008311525 E) ATS UNDER KUCHING AREA CTL (SECT 2) WITH RADIO FREQ(S) 132.35 MHZ	C) 2011302359 EST	(D0882/20)
-----	---	-------------------	------------

(PRI) AND 133.95 MHZ (SRY) TEMP WITHDRAWN.

OTH	B) 2010271355 E) CONSTRUCTION CRANE ERECTED UP TO 63.0M AMSL(206.7 FT) AT COORD 012736.21N 1102543.03E 4.13NM ON BEARING 119 FM THR RWY25 RMK:TOWER CRANE WITH BOOM PAINTED YELLOW AND LIGHTED AT NIGHT	C) 2012182359 EST 	(D1146/20)
OTH	B) 2010271324 E) CONST CRANE HGT 265FT AMSL AT COORD 013158N 1102044E(BRG 005 DEG 5.5KM FM WBGG ARP 012907N 1102042E) RMK:(1) CONST CRANE PAINTED Y AND LGTD (2) TWO BLDG HGT 240FT AMSL (72.4M AMSL) UNDER CONST.	C) 2011302359 EST 	(D1145/20)
OTH	B) 2010220700 E) CONST CRANE PSN 012736N 1102543E ERECTED 207FT AMSL. 119DEG 7650M FM THR RWY25. LIGHTED.	C) 2101222359 EST 	(D1128/20)
OTH	B) 2010201030 E) OBST LIGHT WITHDRAWAL PHASE 1 CHIMNEY 410FT AT COORDS 013816N 1102754E (SEJINGKAT POWER CORPORATION PTE LTD)	C) 2011302300 	(D1110/20)
OTH	B) 2009281340 E) CRANES ERECTED WI 400M RADIUS CENTRED ON 013421N 1102226E (LOT 2273 AND 2325 PLOT 1,SECTION 66,KUCHING CENTRAL LAND DISTRICT,KUCHING).CRANE HGT/200FT AMSL	C) 2011302359 EST 	(D1016/20)

WMKK (KUALA LUMPUR/SEPANG INTL)

AGA	B) 2011280900 E) TWY Z BTN Z3 AND Z5 CLSD RMK: Z4 NOT AVBL FOR ACFT TAX	C) 2012050200 	(A4523/20)
AGA	B) 2011280200 E) TWY Z FM INT Z6 TIL Z8 CLSD RMK: INT Z6 Z7 ZND Z8 NOT AVBL FOR ACFT TAX	C) 2011280900 	(A4522/20)
AGA	B) 2011280200 E) TWY K FM ACFT STAND F3 TIL F5 CLSD	C) 2011280900 	(A4525/20)
AGA	B) 2011280200 E) TXL S9 CLSD	C) 2011280900 	(A4524/20)
AGA	B) 2011280200 E) TWY G BTN INT F5 TIL TWY D CLSD	C) 2011280900 	(A4526/20)
AGA	B) 2011260700 E) TWY B FM INT B14 TIL INT N2 CLSD	C) 2012312359 	(A4510/20)
AGA	B) 2011260200 E) TWY U3 FM ABM ACFT STAND J12 TIL J14 CLSD	C) 2012120200 	(A4499/20)
AGA	B) 2011260200 E) TWY U4 FM ABM ACFT STAND Q1 TIL Q3 CLSD	C) 2012150200 	(A4500/20)
AGA	B) 2011260030 E) PORTION OF TWY H BTN INT S3 AND INT S5 CLSD	C) 2011300800 	(A4503/20)
AGA	B) 2011230200 E) PORTION OF TWY U5 BTN ACFT STAND Q18 AND TWY Z CLSD RMK : 1 ACFT STAND Q18 AVBL FOR LAYOVER ACFT 2 INT Z4 NOT AVBL	C) 2011280900 	(A4446/20)
AGA	B) 2011170200 E) PORTION OF TWY U5 ABM ACFT STAND Q4 CLSD. RMK/ INT U5C AND ACFT STAND Q4 NOT AVBL.	C) 2012091100 	(A4362/20)
AGA	B) 2011160200 E) PORTION OF TWY U3 FM ACFT STAND J16 TILL J18 CLSD.	C) 2012010900 	(A4328/20)

AGA	B) 2011151316 E) CL LGT OF TWY U4 BTN TWY Q AND ACFT STAND P1 AND BTN ACFT STAND Q11 AND TWY Z WITHDRAWN	C) 2011302200	(A4331/20)
AGA	B) 2011151314 E) TWY U3 CL LGT WITHDRAWN	C) 2011302200	(A4330/20)
AGA	B) 2011151249 E) CL LGT TWY Y FM INT Y1 TIL INT Y4 U/S	C) 2011302200	(A4326/20)
AGA	B) 2011101039 D) EV WED-SUN 1500-2200 E) RWY 15/33 CLSD	C) 2011292200	(A4268/20)
AGA	B) 2011050918 E) STOPBAR LGT INT C1 TI C11 WITHDRAWN RMK:1 LEAD IN/OUT LGT INT C1 TIL C11 WITHDRAWN	C) 2012012200	(A4187/20)
AGA	B) 2010311433 E) APCH AND RWY LIGHTINGS RWY 14L/32R, RWY 14R/32L DOWNGRADE TO CAT I	C) 2011302200	(A4115/20)
AGA	B) 2010291017 E) RWY 15/33 CL LGTS U/S	C) 2012312200	(A4062/20)
AGA	B) 2010291012 E) TWY P CL LGT WITHDRAWN	C) 2011302200	(A4060/20)
AGA	B) 2010291009 E) STOPBAR LGT INT P1 TIL INT P4 WITHDRAWN RMK: LEAD IN/OUT LGT INT P1 TIL INT P4 NOT AVBL	C) 2011302200	(A4059/20)
AGA	B) 2010280915 E) PAPI RIGHT HAND SIDE RWY 32L U/S.	C) 2012312200	(A4044/20)
CNS	B) 2011050000 E) LUMPUR ARR FREQ 124.2MHZ U/S AND CHG TO 125.05MHZ	C) 2102052359	(A4108/20)
CNS	B) 2010301438 E) SMR U/S RMK: DEP AND ARR SUBJ DLA	C) 2012302359	(A4096/20)
ATM	B) 2011250154 E) IMPLEMENTATION OF RNAV (GNSS) AND RNAV (RNP) SIMUL INDEPENDENT PARL APCH AT WMKK FOR THE FLW IAP: RWY 14L RNAV (GNSS) RWY 14R RNAV Z (GNSS) RWY 14R RNAV Y (GNSS) RWY 15 RNAV (GNSS) RWY 32L RNAV Z (GNSS) RWY 32L RNAV Y (GNSS) RWY 32R RNAV (GNSS) RWY 33 RNAV (GNSS) RWY 33 RNAV W (RNP) RMK: 1. PILOTS SHALL MNT WMKK CATIS (ARR) FOR THE EXP INSTR APCH. 2. OPERATORS ARE RESPONSIBLE TO OBTAIN THE GNSS RAIM PREDICTION ASSOCIATED WITH GNSS AVBL OR ITS UNAVAILABILITY. CAAM WOULD NOT BE PROVIDING THIS SER. 3. PILOTS SHOULD NOTIFY ATC OF ANY DEGRADATION OF THE RAIM DATA SIGNAL OR BEING UNABLE TO PERFORM THE RNAV APCH.	C) PERM	(A4488/20)
ATM	B) 2011110544 E) REF TO AIP MALAYSIA AD2-WMKK-1-29 PARA 2.22.7 - VIS COND IS TEMPO SUSPENDED.	C) 2101312359	(A4278/20)
OTH	B) 2011151310 E) INFO SIGN TWY P TWY Q INT U5 INT U6 AND INT Q5 WITHDRAWN FOR MAINT	C) 2011302200	(A4329/20)
OTH	B) 2011110525 E) OBSTRUCTION LGT CTL TOWER WEST U/S. PILOT TO EXER CTN.	C) 2101312359	(A4277/20)

OTH	B) 2011020500 E) HGT RESTRICTION OVER TRANSITION WAYPOINTS (ARRIVING ACFT) 1. SALAX - FL220 OR BLW 2. PUGER - FL310 OR BLW 3. DAKUS - FL250 OR BLW (RWY 32/33 MODE) 3.1 DAKUS - FL190 OR BLW (RWY 14/15 MODE) 4. PULIP - FL250 OR BLW (RWY 32/33 MODE) 4.1 PULIP - FL190 OR BLW (RWY 14/15 MODE) 5. SAROX - FL250 OR BLW 6. GUPTA - FL230 OR BLW HGT RESTRICTIONS STATED IN AIP MALAYSIA PAGE AD 2-WMCK-1-27 AND AD 2-WMCK-1-28, PARA 2.22.5.5 AND 2.22.5.5.1 REMAINS UNCHANGED F) - G) -	C) 2101310500 EST	(A4127/20)
-----	--	---------------------------------	------------

WMKJ (JOHOR BAHRU/SENAI INTL)

AGA	B) 2011250509 E) AD OPS CHANGE TO 25-27 0000-1400 1930-2100 2300-2359 28-30 0000-1400 2300-2359 RMK 25-27 1930-2100 TO CATER CARGO FLT ONLY	C) 2011302359	(A4494/20)
AGA	B) 2011190500 E) BAY NR 21 AND 22 CLSD	C) 2012311400	(A4420/20)
AGA	B) 2011160429 E) TWY B1 WIDTH TO READ AS 21M. REF TO AIP MALAYSIA AD 2-WMKJ-1-3 PARA WMKJ AD 2.8 ROW 2 COLUMN 3. AMEND THE AFFECTED PAGE ACCORDINGLY.	C) PERM	(A4343/20)
AGA	B) 2010301600 E) PARTIAL GA APN CLSD. RMK:PILOT TO EXER CTN DRG START UP AND TAX.	C) 2101302359	(A4082/20)
CNS	B) 2010312330 E) RADAR SVC OPS HR CHG TO 0000-0900	C) 2012311330	(A4074/20)
CNS	B) 2010300430 E) ILS GP FREQ 333.8MHZ U/S	C) 2012312359	(A4073/20)
CNS	B) 2009291211 E) VMR FREQ 116.8 MHZ CH115X U/S	C) 2012292359	(A3598/20)
CNS	B) 2009291143 E) NDB JR FREQ 245KHZ U/S	C) 2012292359	(A3595/20)
OTH	B) 2010301600 E) CRANE OPS WI 50M RADIUS OF 013803.7N 1034002.6E (MAIN TERMINAL), HGT 100FT AGL. RMK:CRANE MARKED WITH CHEQUERED FLAG AND LGTD. PILOT TO EXER CTN WHILE MANOEVRING.	C) 2101301600	(A4094/20)

WAAA (MAKASSAR/SULTAN HASANUDDIN)

AGA	B) 2011280000 D) DAILY 0000-0900 E) ALL TFC CTN ADZ DUE TO CLBR FLT FOR RADAR HEAD MAKASSAR RMK : ALL TFC SUBJ ATC CLR	C) 2011290900	(A2737/20)
AGA	B) 2011232257 E) PARKING STAND B31 UNTIL B37 CLSD RMK : TEMPORARY TAXILANE (LIMA ONE) L1 AVBL	C) 2012302359	(A2697/20)
AGA	B) 2011011600 E) TEMPORARY TAXILANE LIMA ONE (L1), TAXILANE LIMA TWO (L2), TAXILANE LIMA THREE (L3), TAXILANE KILO ONE, TAXILANE KILO TWO (K2), TAXILANE KILO THREE (K3) AVAILABLE FOR SOUTH APRON RMK : ALL WIDE BODY ACFT THROUGH TAXI LINE L2 AND K2	C) 2012311559	(A2519/20)

AGA **B)** 2010270920 **C)** 2011302359 (A2471/20)
E) TO AVOID THE SPREAD OF COVID-19, OPERATION HOURS OF AD CHANGED TO 2000-1300
 RMK: - EXC FOR MEDIVAC FLT, EMERGENCY FLT, TECH LDG, MILITARY FLT AND STATE FLT - AVBL FOR ENROUTE ALTN AD

AGA **B)** 2010010412 **C)** 2012311300 (A2237/20)
E) TWY CLSD DUE TO WIP AS FLW:
 - TWY H
 - TWY WP BTN TWY G AND TWY H
 RMK: HEAVY EQUIPMENT PRESENT

AGA **B)** 2010010106 **C)** 2012292359 (A2230/20)
E) PARKING STAND B10, B11, B12, B13, B14, B15 CLSD DUE TO WIP

AGA **B)** 2009151200 **C)** 2012132359 (A2094/20)
E) SEQUENCE FLASHING LGT RWY 13 U/S DUE TO MAINT

CNS **B)** 1912060409 **C)** PERM (A4522/19)
E) NEW SECONDARY FREQ OF MAKASSAR RADAR ON 123.80 MHZ
 REF AIP VOL I AMDT 83 DATED 05 DEC 19 ENR 2.1
 AND VOL II AMDT 58 DATED 08 DEC 16 WAAA AD 2.18

ATM **B)** 2011201250 **C)** PERM (A2674/20)
E) CHANGES INFORMATION RELATED TO ROUTE DESIGNATOR:
 BIMAK ONE DELTA DEPARTURE CHANGED TO BIMAK ONE JULIET DEPARTURE
 REF AIRAC AIP VOL II AMDT 96 DATED 05 NOV 20 SUBSECTION WAAA AD 2.24-7B
 STANDARD DEPARTURE CHART-INSTRUMENT (SID)-ICAO RWY 03

WIHH (JAKARTA/HALIM PERDANAKUSUMA)

AGA **B)** 2011271700 **C)** 2012052100 (A2746/20)
D) NOV 27 1700-2100, NOV 28-DEC 05 1600-2100
E) RWY 06/24 CLSD DUE TO WIP

AGA **B)** 2010050600 **C)** 2012310559 (A2257/20)
E) RWY 06/24 LIMITED TO ACFT WITH MAX MTOW 80.000KG

CNS **B)** 2010200420 **C)** 2012202359 (A2401/20)
E) MIDDLE MARKER ON FREQ 75MHZ U/S

WADD (BALI INTL)

AGA **B)** 2011180000 **C)** PERM (A2614/20)
E) CHANGES INFORMATION RELATED TO ACFT PRKG STAND OF NORTH APN AS FLW

:

ACFT STAND NR	LATITUDE	LONGITUDE	CAPACITY OF ACFT STAND
A1	084442.37S	1151039.72E	A321
A2	084442.43S	1151038.40E	B773
A3	084442.49S	1151037.07E	A321
A4	084442.54S	1151035.75E	B773
A5	084442.60S	1151034.43E	A321
A6	084442.68S	1151033.10E	A321
A15	084442.20S	1151019.22E	B773
B15	084444.82S	1151019.33E	B739-ER
A16	084442.28S	1151016.57E	B773
B16	084444.90S	1151016.68E	B739-ER
A17	084442.35S	1151014.19E	B773
B17	084445.00S	1151014.32E	B739-ER
A18	084442.42S	1151011.79E	A333
A19	084442.49S	1151009.42E	B773
B19	084445.18S	1151009.53E	B739-ER
A20	084442.56S	1151007.04E	B773
B20	084445.29S	1151007.17E	B739-ER
A21	084442.63S	1151004.67E	B773
B21	084445.42S	1151004.80E	B739-ER
A22	084442.70S	1151002.31E	B773
B22	084445.47S	1151002.43E	B739-ER
A23	084442.77S	1151000.01E	B773
B23	084445.55S	1151000.13E	B739-ER

A24	084442.84S	1150957.64E	B773
B24	084445.66S	1150957.77E	B739-ER
A25	084442.91S	1150955.27E	B773
B25			
084445.75S	1150955.40E		B739-ER
A26	084443.32S	1150952.85E	B773
B26	084445.90S	1150952.98E	B739-ER
A27	084443.76S	1150951.69E	ATR-72
B27	084445.90S	1150951.80E	ATR-72
A28	084443.41S	1150950.48E	B773
B28	084445.95S	1150950.62E	B739-ER
A29	084443.86S	1150949.32E	ATR-72
B29	084445.97S	1150949.36E	ATR-72
A30	084443.50S	1150948.11E	A333
B30	084446.03S	1150948.19E	B739-ER
A31	084443.95S	1150946.95E	ATR-72
B31	084446.08S	1150947.01E	ATR-72
A32	084443.59S	1150945.74E	A333
B32	084446.13S	1150945.82E	B739-ER
A33	084444.05S	1150944.58E	ATR-72
B33	084446.17S	1150944.64E	ATR-72
A34	084443.68S	1150943.37E	B739-ER
B34	084446.22S	1150943.45E	B739-ER
A35	084446.12S	1150942.15E	B739-ER
A36	084446.17S	1150940.82E	B739-ER
A41	084439.39S	1150931.86E	A321
A42	084440.74S	1150931.91E	B773
A43	084442.10S	1150931.96E	A321
A44	084443.45S	1150932.01E	B773
A45	084444.80S	1150932.06E	A321
A46	084446.15S	1150932.11E	B773

REF AIP VOL II AIRAC AMDT 86 PAGE WADD AD 2.24-2A3 AND AIP VOL II
AIRAC AMDT 90 PAGE WADD AD 2.24-2A1

AGA **B)** 2011131500 **C)** 2012302300 (A2618/20)
D) NOV 13-DEC 30 1500-2300
E) RWY 09/27 CLSD DUE TO WIP
RMK: EXC EMERG LDG

AGA **B)** 2011110000 **C)** PERM (A2549/20)
E) CHANGES INFORMATION RELATED TO AD DATA
AIRCRAFT PARKING STAND OF SOUTH APRON AS FLW :
ACFT STAND NR LATITUDE LONGITUDE CAPACITY OF ACFT STAND

G1	084502.66S	1151014.86E	B735
G2	084502.69S	1151013.75E	B735
G3	084502.72S	1151012.64E	B735
G4	084502.75S	1151011.52E	B735
G5	084502.78S	1151010.41E	A333
G6	084502.81S	1151009.30E	B735
G7	084502.84S	1151008.19E	A333
G8	084502.87S	1151007.07E	B735
G9	084502.90S	1151005.96E	A333
G10	084502.93S	1151004.85E	B735
G11	084502.96S	1151003.74E	B735
G12	084502.99S	1151002.63E	B735
G13	084503.02S	1151001.51E	B735
G14	084503.05S	1151000.40E	B735
G15	084503.08S	1150959.29E	B735
G16	084503.11S	1150958.18E	B735

REF AIP VOL II AIRAC AMDT 86 PAGE WADD AD 2.24-2A4 AND AIP VOL II
AIRAC AMDT 90 PAGE WADD AD 2.24-2A2

AGA **B)** 2010090400 **C)** 2012301800 (A2301/20)
D) OCT 09 0400-1800 OCT 10-DEC 30 0000-1800
E) ALL TFC CTN ADZ DUE TO WIP PSN ON AREA WI COORD AS FLW:
084445.60S1150930.06E-084447.87S1150930.15E-
084448.75S1150907.61E-084446.47S1150907.52E-
084445.60S1150930.06E
RMK :-HVY EQPT PRESENT
-CRANE ERECTED HGT 100FT

ATM **B)** 2008051024 **C)** PERM (A1682/20)
E) ADDITIONAL DATA RELATED TO ATS COMMUNICATION FACILITIES AS FLW:
BALI DIRECTOR SECONDARY FREQ : 123.15MHZ
REF AIP VOL II AMDT 90 DATED 23 APR 20 SUBSECTION WADD AD 2.18

OTH B) 2009280922 C) 2012260900 (A2196/20)
 E) OBSTACLE ANEMOMETER AWOS MIDDLE ERRECTED ELEV 45.9FT HGT 32.8FT
 PSN ON COORD 084457.48S1151024.24E

WARR (SURABAYA/JUANDA)

AGA B) 2011181700 C) 2012211700 (A2653/20)
 E) PARKING STAND A5, A6 AND A7 CLSD DUE TO WIP
 RMK : TAXILANE BEHIND PARKING STAND A5,A6 AND A7 CLSD

AGA B) 2010221400 C) 2101222159 (A2421/20)
 D) DAILY 1400-2159
 E) AD CLSD DUE TO WIP EXC FOR MEDIVAC HELICOPTER

AGA B) 2010020221 C) 2012180200 (A2248/20)
 E) RWY HOLDING POSITION TWY N1 REPLACE TO TWY NP2 BTN TWY N2 AND TWY
 N9 DUE TO BUMPY SURFACE
 RMK: ALL TFC SUBJ ATC CLR

AGA B) 2008310230 C) 2011300159 (A1907/20)
 E) ALL ACFT ARE NOT ALLOWED MAKE ONE WHEEL LOCK TURN ON RWY 10/28

CNS B) 2010310148 C) 2101312359 (A2504/20)
 E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC
 SERVICE DESIGNATION : CLEARANCE DELIVERY AND SMC (COMBINE SECTOR)
 CALL SIGN : JUANDA GROUND
 FREQ : 118.9MHZ MON FRI 2300-0559
 REF AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION AD 2.18

CNS B) 2010310147 C) 2101312359 (A2503/20)
 E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC
 SERVICE DESIGNATION : APP (SURABAYA EAST TMA, SURABAYA DIRECTOR AND
 SURABAYA WEST TMA(COMBINE SECTOR)
 CALL SIGN : SURABAYA WEST CONTROL
 FREQ : 125.1MHZ
 REF AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION AD 2.18)

CNS B) 2010310141 C) 2101312359 (A2502/20)
 E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC
 SERVICE DESIGNATION : CLEARANCE DELIVERY, SMC AND TWR (COMBINE
 SECTOR)
 CALL SIGN : JUANDA TOWER
 FREQ : 118.3MHZ MON - FRI 0600-2359 SAT - SUN
 0000-2359
 REF AIRAC AIP AMDT 95 DATED 08 OCT 20 SUBSECTION AD 2.18

END OF DOCUMENT