

NEGARA BRUNEI DARUSSALAM

AERONAUTICAL INFORMATION

AERODROME		PRE-FLIGHT INFORMATION BULLETIN			
Briefing Id	B1100001	Date/Time	11JUN20 1232		
Period		12JUN20 0000 TO 12JUN20 2359			
Briefing includes NOTAM					
Subject	Purpose	+B +BO +NB +NBO +M +NM	Traffic	+I +IV	
AERODROME	WBSB WBAK WBKK WBKL WBKS WBGB WBGJ WBGR WBGS WBKW WBMU WBGG WMKK WMKJ WAAA WIHH WADD WARR				

AIS INFORMATION

WBSB (BRUNEI INTL)

AGA	B) 2006080800 D) DLY BTN 0800/1600 E) REPAINTING WORK ON RWY 03/21, MAIN APRON, SOUTHERN PARALLEL TWY, NORTHERN PARALLEL TWY AND FREIGHT APRON DRG NO TFC MOV'T. WIP WILL BE CLEARED OFF DRG EMERG CASES.	C) 2006301600	(B0390/20)
AGA	B) 2006021730 D) JUNE 02-05 08-12 1730-2359 AND JUNE 06-07 13-14 0000-2359 E) ALL COMMERCIAL AND GA FLT INCLUDING TECH STOP TO AND FM BRUNEI ARE REQUIRED TO NOTIFY THE AIRPORT AUTHORITY AT LEAST THREE (3) HRS IN ADVANCE. DRG THESE PERIODS DO NOT NOMINATE WBSB AS ALTN AD.	C) 2006142359	(B0380/20)
AGA	B) 2004140755 E) STOP BARS AND LEAD ON LGTS AT E3, E4 AND E5 IS UNDER ABNORMAL OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.	C) 2012312359	(B0282/20)
CNS	B) 2005140106 E) ILS RWY 21 U/S.	C) 2006140106	(B0352/20)
OTH	B) 1912310725 E) RVR (RWY VISUAL RANGE) U/S.	C) 2012312359	(B0939/19)
OTH	B) 1211150000 E) BRUNEI DARUSSALAM WILL ONLY ACCEPT SUBMISSION OF FPL AND ATS MESSAGES IN NEW FORMAT FILED IN ACCORDANCE WITH AMENDMENT 1 TO THE 15TH EDITION OF PANS-ATM DOC 4444. FPL AND ATS MESSAGES IN PRESENT FORMAT WILL BE REJECTED AND AS A CONSEQUENCE SUCH FLIGHTS WILL BE DELAYED.	C) PERM	(B0133/16)

WBAK ()

AGA	B) 2006110620 D) - E) KB HELIPAD COORD 043523N1141106E CLSD DUE TO WIP	C) 2006121000	(B0405/20)
AGA	B) 1912310500 E) BIRDS CONCENTRATION IN THE VICINITY OF THE RWY AND AD. PILOT TO EXER CTN DRG LDG AND TKOF.	C) 2006302359	(B0933/19)
AGA	B) 1911290600 E) BRUNEI SHELL PETROLEUM HEADQUARTERS HELIPAD (043630N 1141717E) PERMISSION REQUIRED PRIOR FOR LANDING, NIGHT OPERATIONS FOR BSP SAR ONLY.	C) PERM	(B0871/19)
AGA	B) 1901160654 E) KB HELIPAD (043523N 1141106E) OPEN PRIOR PERMISSION REQUIRED FOR LDG	C) PERM	(B0025/19)
AGA	B) 1901160641 E) PANAGA HEALTH CENTRE HELIPAD (PHC) COORD 043639N1141805E CLSD.	C) PERM	(B0024/19)
OTH	B) 2006102335 D) H24 E) PRESENCE OF WIRELINE CRANE WITH HGT 60FT PSN AT G-11 SOUTH OF BSP HQ COORD 043601N1141751E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2006182359	(B0404/20)
OTH	B) 2006090001 D) H24 E) PRESENCE OF LAND RIG JO-3 WITH HGT 110FT AT E-18 PSN EAST OF MILLIONTH BARREL MONUMENT COORD 043700N1141902E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2006132359	(B0395/20)
OTH	B) 2006050345 E) PRESENCE OF OFFSHORE JACK-UP RIG, MAERSK CONVINCER WITH CRANE HGT 200FT AMSL AND DESK HGT 125FT AMSL PSN AT SINGA - A 5KM OFFSHORE FROM	C) 2006302359	(B0386/20)

BSP HQ COORD 043848N1141600E. LIT AT NGT AND PILOT TO EXER CTN.

OTH	B) 2006030001 E) PRESENCE OF OFFSHORE BARGE BELAIT CSS-02 WITH HGT 180FT (DECK HGT 99FT) AMSL PSN AT FAQ-04 COORD 045419N1140304E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2006152359	(B0383/20)
OTH	B) 2006030001 E) PRESENCE OF OFFSHORE BARGE BELAIT CSS-02 WITH HGT 180FT (DECK HGT 99FT) AMSL PSN AT FAQ-04 COORD 045419N1140304E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2006152359	(A0383/20)
OTH	B) 2006010000 E) PRESENCE OF OFFSHORE DRILLING RIG DEEP DRILLER-5 (DD5) WITH HGT 275FT AMSL PSN AT EGD0-01 EGRET COORD 045913N 1141220E. LIT AT NGT AND PILOTS TO EXER CTN.	C) 2006302359	(B0375/20)
OTH	B) 2006010000 E) PRESENCE OF OFFSHORE BARGE BELAIT CSS-1 AT CWDP01 WITH CRANE HGT 250FT AMSL PSN 050756N 1144301E. LIT AT NGT.	C) 2006302359	(B0376/20)
OTH	B) 2004210245 E) COMPASS SWING BAY CLSD DUE WIP ON PERIMETER FENCING WITHIN VICINITY OF COMPASS SWING BAY. NO GENERAL HANDLING IN VICINITY OF COMPASS SWING BAY	C) 2006202359	(B0296/20)
OTH	B) 2004010001 D) H24 E) PRESENCE OF YELLOW COLOUR WEIGHT WITH DIMENSION OF ABOUT 24INCH BY 24INCH WITH WEIGHT OF 500LBS LOCATED AT THE SIDE OF ENTRANCE TWY C.	C) 2006302359	(B0246/20)
OTH	B) 1912310545 E) KB HELIPAD WINDSOCK LGT (043523N1141106E) U/S.	C) 2006302359	(B0935/19)
OTH	B) 1912310500 E) PRESENCE OF WHITE COLOUR MARKERS LOCATED FM THR LEFT HAND SIDE OF RWY05 DIST OF 100M, 200M, 300M, 400M AND ON LEFT HAND SIDE OF RWY23 DIST OF 100M, 200M AND 300M.	C) 2006302359	(B0934/19)
OTH	B) 1808100500 E) KB HELIPAD AND BSP HQ HELIPAD LIGHTING HGT IS 40CM ABV GND LEVEL	C) PERM	(B0682/18)
OTH	B) 1409010700 E) THE REMOTE SWITCH FUNCTION FOR AD GND LIGHTING (AGL) ON FREQ 122.1MHZ IS CURRENTLY OUT OF SERVICE DUE TO INSTALLATION OF THE NEW SWITCHBOARD PANEL	C) PERM	(B0139/16)
NAV	B) 2006110000 D) JUNE 11-12 18-19 25-26 0000-0400 0500-0900 E) UAV OPS WILL TAKE PLACE WI RAD 100M CENTRED ON COORDS 044030N1142900E (BFI SPARK CONSTRUCTION AREA) F) GND G) 400FT AGL	C) 2006260900	(B0391/20)
NAV	B) 2006110000 D) JUNE 11-12 18-19 25-26 BTN 0000-0400 AND 0500-0900 E) UAV OPS WILL TAKE PLACE WI RAD 100M AT THYSSENKRUPP PLANT (SPARK JETTY LOADING PLATFORM) WITH COORDS 044101N1142845E 044108N1142843E 044122N1142842E 044157N1142850E 044227N1142858E F) GND G) 400FT AGL	C) 2006260900	(B0402/20)

WBKK (KOTA KINABALU)

AGA	B) 2006091134 E) CL LGT TWY C ON ALT	C) 2006121000	(D0570/20)
AGA	B) 2006031317 D) EXC JUN 4 5 0000-1300 E) AD FIRE AND RESCUE DOWNGRADED TO CAT 7 RMK/AD FIRE AND RESCUE WILL BE UPGRADED TO CAT 9 UPON RECEIVING NOTIFICATION FOR CODE E ACFT OPS WI 24 HR	C) 2007311600 EST	(D0561/20)

AGA	B) 2005230402 E) AUTOMATIC WEATHER OBSERVATION SYSTEM (AWOS) RWY 02/20 U/S RMK: WIND VELOCITY, DIRECTON AND RVR INFO BY TWR OBS ONLY	C) 2008312359 EST	(D0533/20)
AGA	B) 2001151021 E) AVBL PRKG BAY FOR ACFT A21N ARE AS FOLLOWS: BAY NR 2A,3A,5,7 AND 8	C) PERM	(D0058/20)
OTH	B) 2006070800 E) CRANE WITH HGT 300FT ERECTED AT COORD 055710N 1160312E (PLAZA TANJUNG ARU)	C) 2008312359 EST	(D0564/20)
OTH	B) 2005310222 E) CRANE TOWER ERECTED AT 055855N 1160423E (JALAN TUN FUAD STPEHENS) RMK/LOCATED APRX 4300M FM END OF RWY02 F) SFC G) 400FT AMSL	C) 2008312359 EST	(D0555/20)
OTH	B) 2004280703 E) THREE (3) TOWER CRANE ERECTED IN THE VICINTY OF AD COORD 055445.9N 1160351E. HGT 96 METER (315FT AMSL) FLAGGED AND LGTD AT NGT RMK: LOCATED APRX 2400M EAST OF THR RWY 02	C) 2007312359 EST	(D0457/20)
OTH	B) 2003280231 E) FOUR (4)TOWER CRANE ERECTED AT COORD 055820.86N 1160330.82E (APPROACH AREA RWY20). APPROX 2750M BFR THR RWY20,600M WEST OF EXTENDED RCL.CRANES HGT/170FT AMSL	C) 2006302359 EST	(D0356/20)
OTH	B) 2003280227 E) TWO(2)TOWER CRANE ERECTED AT COORD 055821.02N 1160404.25E, 3100M FM END OF RWY20 (APPROACH AREA). CRANE HGT/240FT AMSL	C) 2006302359 EST	(D0355/20)
OTH	B) 2003280222 E) CRANE ERECTED AT COORD 055748.42N 1160411.41E (URBAN TRANSFORMATION CENTER BUILDING, KARAMUNSING, SABAH). CRANE HGT/300FT AMSL.	C) 2006302359 EST	(D0354/20)
OTH	B) 2003280219 E) THREE TOWER CRANES ERECTED AT COORD 055703N 1160338E (AEROPOD,TANJUNG ARU),APRX 385M E OF RCL.CRANES HGT/300FT AMSL	C) 2006302359 EST	(D0353/20)

WBKL (LABUAN)

AGA	B) 2006101231 E) AD OPS HR CHANGED TO 2200-0900	C) 2006301400 EST	(D0578/20)
AGA	B) 2004300326 E) BAY NR 2 CLSD DUE TO WIP	C) 2006302159	(D0480/20)
AGA	B) 2003312359 E) NORTHERN CABLE U/S.	C) 2006302359	(D0384/20)
AGA	B) 2003312330 E) UNEVEN RWY SFC RMK: 1 RWY 32 FM THR MARKER TIL 1500FT 2 RWY 14 FM THR MARKER TIL 3000FT PILOT TO EXER CTN DRG TKOF AND LDG..	C) 2006302359	(D0385/20)
AGA	B) 2003190000 E) TWY B CLSD.	C) 2006182359	(D0291/20)

WBKS (SANDAKAN)

AGA	B) 2005312300 E) AD OPS HR CHG TO 0000-1100.	C) 2006301400	(D0539/20)
AGA	B) 2004130612	C) 2007130600	(D0415/20)

E) GENERAL HELIPAD CLSD DUE TO CONSTRUCTION WORK

AGA B) 2003132200 C) 2006132159 (D0265/20)
 E) PRESICION APCH LGT RWY 08 DOWNGRADE TO SIMPLE APCH LGT DUE TO RWY
 EXTENSION PROJECT

WBGB (BINTULU)

AGA B) 2005120000 C) 2008122359 (D0504/20)
 E) PAPI RWY 35 U/S.

WBGJ (LIMBANG)

AGA B) 2006092230 C) 2006301030 (D0572/20)
 E) AD OPS HR CHG TO 0030 - 0630

AGA B) 2004160145 C) 2007162359 EST (D0426/20)
 E) WDI RWY 22 U/S.

WBGR (MIRI)

AGA B) 2005310102 C) 2008312359 (D0552/20)
 E) TO ENABLE ATC TO APPLY MNM SPACING ON FNA THAT WILL
 ACHIEVE MAX RWY UTILISATION AND MINIMISE THE OCCURRENCE OF
 GO-AROUNDS. LDG ACFT SHALL EXIT THE LDG RWY WO DLA AT THE FIRST
 SUITABLE EXIT TWY OR AS INSTRUCTED BY ATC. ACFT LDG RWY 02 THAT
 IS UNABLE TO EXIT THE LDG RWY VIA AVBL EXIT TWY SHALL STOP AND
 REVERSE COURSE ON THE RWY ASAP. ACFT THAT NEED TO PROCEED TO
 THE END OF THE RWY AND REVERSE COURSE ON THE TURNING PAN SHALL
 INFORM ATC BFR LDG.

AGA B) 2005110329 C) 2008121530 (D0503/20)
 E) AD OPS HR CHANGED TO 2200-1400

AGA B) 2005060800 C) 2008060600 EST (D0490/20)
 E) FOR WING TIP CLEARANCE PURPOSE MARSHALLER ARE REQUIRED FOR ACFT
 PRKG AND PUSHBACK FM BAY 2 OR BAY 3 WHEN ONE OF THE BAY IS OCCUPIED.

CNS B) 2003281034 C) 2006302359 (D0369/20)
 E) VOR/DME VMI 112.4MHZ/CH71X U/S.

OTH B) 2005310300 C) 2008310900 (D0554/20)
 D) DLY 0300 - 0900
 E) PILING MACHINE ERECTED WITH HGT 33FT AT COORD 041810.82N
 1135840.89E

OTH B) 2005050630 C) 2008052359 EST (D0483/20)
 E) CRANE ERECTED 120FT AMSL AT 042026.56N 1135934.47E
 760M FM THR RWY20.

OTH B) 2003310200 C) 2006302130 EST (D0377/20)
 D) 1530-2130
 E) MOBILE CRANE OPS 570M FM THR RWY20 LEFT AND RIGHT.
 CRANE HEIGHT :150 FT
 RMK:DLA SCHEDULED FLIGHTS MIGHT BE OPR BEYOND OPS HR

NAV B) 2006010000 C) 2006281015 (D0547/20)
 D) 01 02 06 07 08 13 14 20 21 27 28 JUNE 2020
 BTN 0000-1015
 E) LUTONG PARAMOTOR ACT WILL TAKE PLACE WI 1 NM RADIUS OF LUTONG
 AIRFIELD (042745N, 1140000E)
 F) GND G) 500FT AMSL

WBGs (SIBU)

AGA B) 2006050000 C) PERM (D0560/20)
 E) OPS OF PWR IN AND PWR OUT (PIPO) AVBL BAY 5 AND 6.

AGA	B) 2006030000 E) AD OPS HR TO DAY 1,3,5,7 OPS HR FM 0000-1100 DAY 2,4,6 OPS HR FM 0000-1000	C) 2006301200	(D0559/20)
AGA	B) 2005312200 E) AD OPS HR CHG TO 0000-1200	C) 2006301400	(D0548/20)
CNS	B) 2001110241 E) NDB NIS FREQ 203KHZ PERMANENTLY WITHDRAWN	C) PERM	(D0029/20)

WBKW (TAWAU)

NO INFO RECEIVED OR MATCHING THE QUERY.

WBMU (MULU)

AGA	B) 2005310033 E) CRACK SFC ARE PRESENT ALONG THE TWY ON THE RIGHT AND LEFT SIDE. RMK:1. PILOT TO EXER CTN DRG TAX IN/OUT. 2. AREA RIGHT AFT/BFR HLDG POINT OF ROUGHLY EST BTN 15M TO 35M AND NOT MARKED.	C) 2008312359	(D0550/20)
AGA	B) 2003260345 E) BIRD CONCENTRATION ALONG RWY AND APCH RWY 03	C) 2006260800 EST	(D0346/20)
AGA	B) 2003260340 D) 0000-0800 E) AD OPS HR CHANGE FM HJ TO 0000-0800	C) 2006260800 EST	(D0345/20)
CNS	B) 2005310037 E) DVOR VZU FREQ 112.8MHZ CH 75X U/S	C) 2008312359	(D0551/20)
CNS	B) 2001170305 E) NDB MZU FREQ 505KHZ PERMANENTLY WITHDRAWN	C) PERM	(D0066/20)

WBGG (KUCHING)

AGA	B) 2005310111 E) PAPI RWY 07 U/S	C) 2006301000	(D0553/20)
AGA	B) 2005290715 E) TWY A1 CLSD.	C) 2007301000 EST	(D0544/20)
AGA	B) 2003280415 E) ACFT UPON LDG RWY 25 AND VACATING VIA TWY A3 SHALL NOT MAKE A RIGHT TURN ONTO TWY A AND PCD TO CARGO APN EXC FOR LGT ACFT.	C) 2006280415 EST	(D0362/20)
AGA	B) 2003280345 E) SFC DEPRESSION ON TWY F	C) 2006282359 EST	(D0357/20)
CNS	B) 2006121600 E) ILS/LOC IKG FREQ 110.3 MHZ WITHDRAWN FOR MAINT	C) 2006122000	(D0567/20)
CNS	B) 2006070800 E) KUCHING AREA CTL (SECT 2) SVC RDO FREQ(S) 132.35 MHZ (PRI) AND 133.95 MHZ (SRY) TEMPORARY WITHDRAWN.	C) 2006302359	(D0565/20)
CNS	B) 2003280415 D) DLY 0000-0800 E) COMMISSIONING OF NEW KUCHING AREA CTL (SECT 2) RDO FREQ(S): 1.132.35 MHZ (PRI) 2.133.95 MHZ (SRY) RMK: ACTIVATION OF THE FREQ IS SUBJ TFC COND AND ATC STAFF AVAILABILITY.	C) 2006280800 EST	(D0361/20)
OTH	B) 2005310014	C) 2008312359	(D0549/20)

E) PRESENCE OF CONSTRUCTION CRANE HGT 265FT AMSL AT COORD
 013058N 1102044E (BEARING 005DEG 5.5 KM FM KUCHING
 ARP 012907N 1102042E)
 RMK: (1) CONSTRUCTION CRANE PAINTED YELLOW AND LGTD
 (2) TWO BUILDING BLOCKS HEIGHT 240 FT AMSL (72.4M AMSL)
 UNDER CONSTRUCTION.
 F) GND G) 300FT AMSL

OTH	B) 2005280916 D) DLY 0000-0700 E) CLBR FLT WILL TAKE PLACE AT AREA BOUNDED BY COORD: AREA 1 (NORTH OF SANTUBONG): 021303N 1101732E-020226N 1100900E- 015348N 1102005E-020423N 1102844E AREA 2 (TANJUNG DATU): 021405N 1095035E-020332N 1094201E- 015458N 1095240E-020533N 1100111E F) SFC G) 9000FT AMSL	C) 2006302359	(D0540/20)
OTH	B) 2004300148 E) CRANE ERECTED 210FT AMSL (64M) AT COORD 012928N 1102031.07E DIST 730M ON BRG 335DEG FM ARP.	C) 2007312359 EST	(D0474/20)
OTH	B) 2004300146 E) TWO(2) TOWER CRANES ERECTED 43M AMSL AT 013028.05N 1102249.69E (RIVERDALE RESIDENCES, KUCHING) 2,070M ON BRG 040 FM THR RWY 25 . RMK: TOWER CRANES WITH BOOM PAINTED AND LGTD AT NGT.	C) 2007312359 EST	(D0473/20)
OTH	B) 2003280400 E) CRANES ERECTED WI 400M RADIUS CENTERED ON 013421N 1102226E (LOT 2273 AND 2325 PLOT 1, SECTION 66, KUCHING CENTRAL LAND DISTRICT, KUCHING), CRANE HGT/200FT AMSL	C) 2006280400 EST	(D0358/20)

WMKK (KUALA LUMPUR/SEPANG INTL)

AGA	B) 2006120200 E) PORTION OF TWY U5 ABM BAY Q02 CLSD	C) 2006120900	(A2120/20)
AGA	B) 2006110944 D) DLY BTN 0200-0900 E) INT P4 CLSD	C) 2006130900	(A2118/20)
AGA	B) 2006070414 E) PORTION OF TWY Z FM INT Z6 TIL Z8 CLSD	C) 2006302359	(A2065/20)
AGA	B) 2006070409 E) PORTION OF TWY Y FM INT Y4 TIL Y9 CLSD	C) 2006302359	(A2064/20)
AGA	B) 2006070402 D) EV TUE WED THU FRI AND SAT 0000-2359 E) RWY 14R/32L CLSD	C) 2006302359	(A2063/20)
AGA	B) 2006070355 E) RWY 15/33 CLSD	C) 2006302359	(A2062/20)
AGA	B) 2006070000 D) EV SUN AND MON 0000-2359 E) RWY 14L/32R CLSD	C) 2006292359	(A2017/20)
AGA	B) 2006010200 E) TWY U4 ABM ACFT STAND P11 TILL P13 CLSD. RMK: INT U3B NOT AVBL FOR ACFT TAX.	C) 2006151400	(A1979/20)
AGA	B) 2006010200 E) TWY U5 ABM ACFT STAND Q6 CLSD.	C) 2006151400	(A1980/20)
AGA	B) 2005150716 E) CL LGT TWY U3 AND U4 U/S	C) 2006152200	(A1891/20)
AGA	B) 2005150652	C) 2007312200	(A1886/20)

E) STOPBAR LGT INT C1 TIL INT C11 U/S
RMK: LEAD IN AND LEAD OUT LGT INT C1 TIL INT C11 NOT AVBL.

AGA **B)** 2004060435 **C)** 2007062359 (A1504/20)
E) 1. RWY 15 AVBL FOR ACFT DEP ONLY VIA INT Y4 (TORA 2630M)
2. RWY 33 AVBL FOR ACFT DEP (TORA 2810M) AND ARR (LDA 2810M)
3. PILOTS TO EXER CTN DRG LDG AND TKOF RWY 33 DUE TO WIP WI TKOF CLIMB AREA.
RMK/ REF AIP SUPP 09/2019

AGA **B)** 2003190413 **C)** PERM (A1272/20)
E) NEW ESTABLISHED ACFT STAND C16R COORD 024502.18N 1014244.52E FOR ACFT TYPE A380 ONLY.

AGA **B)** 2003170900 **C)** PERM (A1250/20)
E) NEW ESTABLISHED ACFT STAND C12R COORD 024458.16N 1014247.29E FOR ACFT TYPE A380 ONLY

CNS **B)** 2004211438 **C)** 2007212359 EST (A1637/20)
E) ILS RWY 33 U/S.

CNS **B)** 2004181133 **C)** 2007312359 EST (A1618/20)
E) SMR U/S
RMK: DEP AND ARR SUBJ DLA

CNS **B)** 2004032314 **C)** 2007032359 EST (A1497/20)
E) ILS RWY 15 WITHDRAWN.

CNS **B)** 2003140121 **C)** PERM (A1205/20)
E) REFER TO AIP SUPPLIMENT MALAYSIA 14/2019 DATE 9TH DECEMBER 2019 SHALL READ AS FLW:
1.APPENDIX 3.1
EAST SATELLITE WEST (ESW) 122.85MHZ
EAST SATELLITE NORTH (ESN) 122.85MHZ
2.APPENDIX 4.1
EAST SATELLITE WEST (ESW) 122.85MHZ
EAST SATELLITE NORTH (ESN) 122.85MHZ
3.APPENDIX 5.1
EAST SATELLITE WEST (ESW) 122.85MHZ
EAST SATELLITE NORTH (ESN) 122.85MHZ
4.APPENDIX 6.1
EAST SATELLITE WEST (ESW) 122.85MHZ
5.APPENDIX 7.1
EAST SATELLITE WEST (ESW) 122.85MHZ
EAST SATELLITE NORTH (ESN) 122.85MHZ
6.APPENDIX 8.1
EAST SATELLITE WEST (ESW) 122.85MHZ
EAST SATELLITE NORTH (ESN) 122.85MHZ
7.APPENDIX 9.1
EAST SATELLITE WEST (ESW) 122.85MHZ
EAST SATELLITE NORTH (ESN) 122.85MHZ
8.APPENDIX 10.1
EAST SATELLITE WEST (ESW) 122.85MHZ
EAST SATELLITE NORTH (ESN) 122.85MHZ
9.APPENDIX 11.1
R14L EAST SATELLITE NORTH (ESN) 122.85MHZ
R14R EAST SATELLITE NORTH (ESN) 122.85MHZ
R32L EAST SATELLITE NORTH (ESN) 122.85MHZ
R32R EAST SATELLITE NORTH (ESN) 122.85MHZ
10.APPENDIX 12.1
R14L EAST SATELLITE NORTH (ESN) 122.85MHZ
R14R EAST SATELLITE NORTH (ESN) 122.85MHZ
R32L EAST SATELLITE NORTH (ESN) 122.85MHZ
R32R EAST SATELLITE NORTH (ESN) 122.85MHZ

ATM **B)** 2006010426 **C)** 2009012359 EST (A2010/20)
E) IMPLEMENTATION OF RNAV GNSS SIMULTANEOUS INDEPENDENT PARALLEL APCH AT WMKK FOR THE FOLLOWING INSTRUMENT APPROACH PROCEDURES:
RWY 14L RNAV GNSS
RWY 14R RNAV Z GNSS
RWY 14R RNAV Y GNSS
RWY 15 RNAV GNSS
RWY 32L RNAV Z GNSS
RWY 32L RNAV Y GNSS
RWY 32R RNAV GNSS

RWY 33 RNAV GNSS

RMK:

1. PILOTS SHALL MONITOR WMKK CATIS (ARRIVAL) FOR THE EXPECTED INSTRUMENT APPROACH.
2. OPERATORS ARE RESPONSIBLE TO OBTAIN THE GNSS RAIM PREDICTION ASSOCIATED WITH GNSS AVAILABILITY OR IT'S UNAVAILABILITY, AT THIS STAGE CAAM WOULD NOT PROVIDE THIS SERVICE.
3. PILOTS SHOULD NOTIFY ATC DEGRADATION OF THE RAIM DATA SIGNAL OR BEING UNABLE TO PERFORM THE RNAV (GNSS) APCH.

ATM	B) 2004302357 E) REF TO AIP MALAYSIA AD2-WMKK-1-29 PARA 2.22.7 - VIS COND IS TEMPO SUSPENDED	C) 2007302359	(A1738/20)
ATM	B) 2003170127 E) SFC MOVEMENT CTL SOUTH (ESS) AND EAST (ESE) LUMPUR GND FREQ 122.275 MHZ U/S. ALL ACFT SOUTH (ESS) AND EAST (ESE) TO CTC 123.250 MHZ.	C) 2006172359 EST	(A1235/20)
OTH	B) 2006020900 E) APCH AND RWY LIGHTINGS ILS CAT 11 SUSPENDED AND DOWNGRADE TO CAT 1	C) 2008022359	(A2030/20)
OTH	B) 2005101452 E) CTL TOWER WEST (024445.7N1014105.0E) OBSTRUCTION LGT U/S RMK: PILOT TO EXER CTN	C) 2008102359 EST	(A1819/20)
OTH	B) 2005010430 E) ACFT LDG RWY 33 SHALL VACATE VIA INT Y5 AND Y4 TO AVOID BACKTRACKING	C) 2008312359 EST	(A1742/20)
OTH	B) 1912070955 E) REF AIP MALAYSIA LOCAL TRAFFIC REGULATIONS AD.2-WMKK-1-24 ITEM 2.20.11.4 CENTRELINES WITH NO VDGs OBSOLETE	C) PERM	(A4733/19)

WMKJ (JOHOR BAHRU/SENAI INTL)

AGA	B) 2006092230 E) AD OPS HRS CHG TO 2330-1200	C) 2008311600	(A2078/20)
AGA	B) 2006060000 E) APN CARGO PARTIALLY CLSD.	C) 2009012359	(A2051/20)
AGA	B) 2005140047 E) BAY 2A,3A,4A,5,6,7 COMPLETELY WITHDRAWN	C) 2008131600	(A1867/20)
CNS	B) 2006090000 E) OPS HR OF RADAR SVC CHG TO 0000-0900	C) 2008311330	(A2074/20)
CNS	B) 2004191116 E) ILS GP FREQ 333.8MHZ RWY 16 U/S.	C) 2007182359	(A1626/20)
CNS	B) 2003270141 E) VMR DVOR/DME FREQ 116.8MHZ CH115X UNSERVICEABLE	C) 2006270141	(A1381/20)
OTH	B) 2003311600 E) PARTIAL OF GA APRON CLSD COORD A (013829.90N 1033943.82E) COORD B (013831.76N 1033943.24E) COORD C (013832.21N 1033944.52E) COORD D (013830.40N 1033945.16E)	C) 2006300000	(A1431/20)
OTH	B) 2003311600 E) CRANE OPS WI 50NM RADIUS OF 013803.7N 1034002.6E HGT 100FT AMSL CRANE MARKED WITH CHEQUERED FLAG AND LGTD	C) 2006300001	(C0098/20)
OTH	B) 2003311600 E) PORTION OF APRON C CLOSED DUE WIP NEW TERMINAL EXTENSION COORD A (013806.6N 1034003.1E) COORD B (013801.9N 1034004.7E) COORD C (013801.5N 1034003.6E)	C) 2006300001	(A1432/20)

COORD D (013806.3N 1034002.0E)
 RMK: COLOUR HOARDING AND BARRICADE EQUIP WIT UNSERVICEABILITY LGT
 PLACED TO DENOTE CLOSURE AREA

WAAA (MAKASSAR/SULTAN HASANUDDIN)

AGA	B) 2006120000 E) REF NOTAM A0991/20 PARKING STAND NR R28, R34 AND R38 CLSD DUE TO WIP	C) 2006261559	(A1270/20)
AGA	B) 2006111200 E) PARKING STAND NR B4 CLSD DUE TO WIP RMK: TAXILANE BEHIND PARKING STAND NR B4 NOT AVBL	C) 2006131000	(A1271/20)
AGA	B) 2006052200 E) TWY I CLSD DUE TO WIP	C) 2008081600	(A1244/20)
AGA	B) 2006021006 E) ENLARGEMENT OF SOUTH APRON ZONE 4 WIP AT SULTAN HASANUDDIN INTL AP PSN AT LEFT SIDE OF CARGO APN DIMENSION 32571.404M2. ALL ACFT MOVEMENT SHALL CONCERN REGARDING INFORMATION AS FLWS: -CTN ADZ DURING TAXIING AT INTERSECTION BTN TWY WP AND TWY I TO SOUTH APN AND PARKING AT SOUTH APN -TEMPORARY BARRIERS PSN ALONG SIDE OF THE CONSTRUCTION AREA -HEAVY EQUIPMENT PRESENT	C) 2009011559	(A1213/20)
AGA	B) 2005310332 E) TO AVOID THE SPREAD OF COVID-19, OPERATION HOURS OF AD CHANGED TO 2200 -1100 RMK/EXC FOR MEDIVAC FLT, EMERGENCY FLT, TECH LDG, MILITARY FLT AND STATE FLT	C) 2006302159	(A1199/20)
AGA	B) 2005250412 E) PARKING STAND B31 UNTIL B37 CLSD RMK : TEMPORARY TAXILANE (LIMA ONE) L1 AVBL	C) 2008250400	(A1168/20)
AGA	B) 2005190900 E) ALL TFC CTN ADZ DUE TO GROUND SUPPORT EQUIPMENT PRESENT BTN PRKG STAND R15-R19	C) 2008111600	(A1148/20)
AGA	B) 2005151600 E) TEMPORARY TAXILANE LIMA ONE (L1), TAXILANE KILO ONE (K1) TAXILANE LIMA TANGO (LT) AND TAXILANE KILO TANGO (KT) AVAILABLE FOR SOUTH APRON RMK : ALL WIDE BODY ACFT FROM/TO PARKING STAND B10 AND B11 THROUGH TWY E AND USING TAXILANE L1	C) 2008111600	(A1139/20)
AGA	B) 2005151600 E) PARKING STAND B24,B25,B26,B27,B28,B29 AND B41,B42,B43,B44,B45,B46 CLSD RMK: TEMPORARY TAXILANE (KILO ONE) K1 AVBL FOR SOUTH APRON	C) 2008111600	(A1136/20)
AGA	B) 2005111510 E) PARKING STANDS B12, B13, B14, B15, B16, AND B17 LIMITED CAPACITY TO ATR72-600	C) 2008111600	(A1122/20)
AGA	B) 2005010635 E) ENLARGEMENT OF SOUTH APRON ZONE 3 WIP AT SULTAN HASANUDDIN INTL AP MAKASSAR PSN LEFT SIDE OF TERMINAL BUILDING IN FRONT OF SOUTH APN DIMENSION 31.946M2. ALL ACFT MOVEMENT AT SULTAN HASANUDDIN INTL AP SHALL CONCERN REGARDING INFORMATION BLW: -TEMPORARY BARRIERS POSITION ALONG SIDE OF THE CONSTRUCTION AREA -HEAVY EQUIPMENT PRESENT	C) 2008021559	(A1062/20)
AGA	B) 2004201600 E) ADDITIONAL AND CHANGES INFORMATION RELATED TO ACFT STANDS TO FLW: ACFT STAND LATITUDE LONGITUDE CAPACITY R15 050506.01S 1193243.52E NARROW BODY R16 050504.86S 1193244.17E NARROW BODY R17 050503.72S 1193244.83E NARROW BODY R18 050502.58S 1193245.49E NARROW BODY	C) PERM	(A0991/20)

R19 050501.44S 1193246.14E NARROW BODY
R20 050500.29S 1193246.80E NARROW BODY
R21 050458.55S 1193247.80E NARROW BODY
R22 050457.41S 1193248.45E NARROW BODY
R23 050456.27S 1193249.11E NARROW BODY
R24 050455.12S 1193249.77E NARROW BODY
R25 050453.98S 1193250.42E NARROW BODY
R26 050452.84S 1193251.08E NARROW BODY
R27 050451.70S 1193251.73E NARROW BODY
R28 050447.34S 1193254.24E NARROW BODY
R29 050446.19S 1193254.89E NARROW BODY
R30 050445.05S 1193255.55E NARROW BODY
R31 050443.91S 1193256.20E NARROW BODY
R32 050442.77S 1193256.86E NARROW BODY
R33 050441.62S 1193257.52E NARROW BODY
R34 050440.48S 1193258.17E NARROW BODY
R35 050439.34S 1193258.83E NARROW BODY
R36 050438.20S 1193259.49E NARROW BODY
R37 050437.05S 1193300.14E NARROW BODY
R38 050435.91S 1193300.80E NARROW BODY
STRENGTH : PCN 69/R/B/W/T
REF AIP VOL II AMDT 86 DATED 19 DEC 19 SUBSECTION WAAA AD 2.8 AND
AD 2.24-2

AGA **B)** 2004200526 **C)** 2007200900 (A0999/20)
E) TWY WP BTN TWY G AND TWY H, AND TWY H CLSD DUE TO WIP
RMK : HEAVY EQUIPMENT PRESENT

CNS **B)** 1912060409 **C)** PERM (A4522/19)
E) NEW SECONDARY FREQ OF MAKASSAR RADAR ON 123.80 MHZ
REF AIP VOL I AMDT 83 DATED 05 DEC 19 ENR 2.1
AND VOL II AMDT 58 DATED 08 DEC 16 WAAA AD 2.18

ATM **B)** 2004130128 **C)** 2007132359 (A0974/20)
E) STANDARD ARRIVAL CHART-INSTRUMENT (STAR)-ICAO RNAV RWY 03 MINIMUM
VECTOR ALTITUDE AT POINT ALVIA SHALL BE READ FL120
REF AIRAC AIP AMDT 86 DATED 30 JAN 20

ATM **B)** 2004130125 **C)** 2007132359 (A0973/20)
E) REF AIP VOL II AMDT 50 DATED 14 APR 16
STANDARD DEPARTURE CHART-INSTRUMENT (SID)-ICAO RWY 03 WAAA AD
2.24-7C,
STANDARD DEPARTURE CHART-INSTRUMENT (SID)-ICAO RWY 21 WAAA AD
2.24-7D,
STANDARD ARRIVAL CHART-INSTRUMENT (STAR)-ICAO RWY 03 WAAA AD
2.24-9C,
STANDARD ARRIVAL CHART-INSTRUMENT (STAR)-ICAO RWY 21 WAAA AD
2.24-9D,
UNUSEABLE DUE TO IMPLEMENTATION OF SID/STAR RNAV 1 FOR RWY 03/21
(AIRAC AIP AMDT 86 DATED 30 JAN 20)

WIHH (JAKARTA/HALIM PERDANAKUSUMA)

AGA **B)** 2006051600 **C)** 2006212100 (A1243/20)
D) DAILY 1600-2100
E) RWY 06/24 CLSD DUE TO WIP

CNS **B)** 2004070537 **C)** 2007061659 (A0947/20)
E) MIDDLE MARKER ON FREQ 75MHZ U/S

OTH **B)** 2006101600 **C)** 2007192100 (A1155/20)
D) DAILY 1600-2100
E) CRANE AS AN OBSTACLE ERECTED HGT 22M PSN AT FINAL RWY 24 (884M FM
BEGINNING RWY 24) ON COOR 061527.12S1065437.83E

OTH **B)** 2005200955 **C)** 2007202359 (A1154/20)
E) CRANE AS AN OBSTACLE ERECTED HGT 18M PSN AT FINAL RWY 24 (884M FM
BEGINNING RWY 24) ON COOR 061527.12S1065437.83E

WADD (BALI INTL)

