

NEGARA BRUNEI DARUSSALAM

AERONAUTICAL INFORMATION

AERODROME		PRE-FLIGHT INFORMATION BULLETIN			
Briefing Id	B1500001	Date/Time	15SEP20 1220		
Period		16SEP20 0000 TO 16SEP20 2359			
Briefing includes ASHTAM NOTAM					
Subject	Purpose	+B +BO +NB +NBO +M +NM	Traffic	+I +IV	
AERODROME	WBSB WBAK WBKK WBKL WBKS WGBB WBGJ WBGR WBGGS WBKW WBMU WBGG WMKK WMKJ WAAA WIHH WADD WARR				

AIS INFORMATION

WBSB (BRUNEI INTL)

AGA	B) 2009070316 E) STOPBAR AT E1 IS UNDER ABNORMAL OPERATIONAL STATUS. ALL ACFT TO FOLLOW ATC INSTRUCTIONS.	C) 2009170400	(B0676/20)
AGA	B) 2009011730 D) SEP 01-04 07-11 14-18 21-25 28-30 1730-2359 AND 5,6,12,13,19,20,26,27 0000-2359 E) ALL COMMERCIAL AND GA FLT INCLUDING TECH STOP TO AND FM BRUNEI ARE REQUIRED TO NOTIFY THE AIRPORT AUTHORITY AT LEAST THREE (3) HRS IN ADVANCE. DRG THESE PERIODS DO NOT NOMINATE WBSB AS ALTN AD.	C) 2009302359	(B0663/20)
CNS	B) 2008280715 E) ILS RWY 21 U/S	C) 2009280800	(B0656/20)
NAV	B) 2009062130 D) SEPT 06 - 16 2130 - 1030 E) UAV ACT WILL TAKE PLACE WI RAD 1800M CENTRED ON COORD 045353N1145559E (BSB) F) GND G) 394FT AGL	C) 2009161030	(B0677/20)

WBAK ()

AGA	B) 2009140000 E) ALL HELICOPTER LANDING AT BRUNEI SHELL PETROLEUM HEAD QUARTERS HELIPAD COORD 043630N1141717E AND KUALA BELAIT HELIPAD COORD 043523N1141106E SHALL BE AT PILOT OWN DISCRETION	C) PERM	(B0696/20)
AGA	B) 2008202200 E) BSP HQ HELIPAD CLSD DUE TO WIP HELIPAD RESURFACING WITH COORD 043628N1141729E	C) 2010042359	(B0641/20)
AGA	B) 2006300900 E) BIRDS CONCENTRATION IN THE VICINITY OF THE RWY AND AD. PILOT TO EXER CTN DRG LDG AND TKOF.	C) 2012312359	(B0471/20)
OTH	B) 2009151100 D) H24 E) PRESENCE OF WIRELINE CRANE OPS WITH HGT 60FT PSN AT E-17 (WELL S-743) WEST OF BSP LEARNING CENTRE COORD 043654N1141854E, LIT AT NIGHT, PILOTS TO EXER CTN.	C) 2009232359	(B0697/20)
OTH	B) 2009132359 D) H24 E) PRESENCE OF HOIST JO-3 WITH HGT 110FT AT E-26 POSN 500M EAST OF SERIA CRUDE OIL TERMINAL, ALONG THE BEACH, COORD 043709.5N1142029.7E, LIT AT NIGHT, PILOTS TO EXER CTN.	C) 2009182359	(B0694/20)
OTH	B) 2009120830 D) 24HRS E) PRESENCE OF WIRELINE CRANE OPS WITH HGT 60FT AT E-34 PSN 043824N1142212E, NORTH OF ANDUKI ALONG THE BEACH. RMK/ LIT AT NIGHT. PILOTS TO EXER CTN.	C) 2009182359	(B0692/20)
OTH	B) 2008190330 E) PRESENCE OF OFFSHORE JACK UP RIG MAERSK CONVINCER WITH CRANE HGT 200FT AMSL AND DECK HGT 125FT AMSL PSN AT COORD 051254N1143715E. LIT AT NGT AND PILOT TO EXER CTN.	C) 2011192359	(B0639/20)
OTH	B) 2007250430 E) PRESENCE OF OFFSHORE DRILLING RIG, DEEP DRILLER 5 (DD5) WITH HGT 275FT AMSL PSN AT CWWJ-44 COORD 051140N1144518E. LIT AT NGT. PILOTS TO EXER CTN.	C) 2010312359	(B0574/20)
OTH	B) 2007010000 D) H24	C) 2012312359	(B0475/20)

E) PRESENCE OF YELLOW COLOUR WEIGHT WI DIMENSION OF ABOUT 24INCH BY 24INCH WI WEIGHT OF 500LBS LOCATED AT THE SIDE OF ENTRANCE TWY C.

OTH B) 2006300900 C) 2012312359 (B0472/20)
 E) PRESENCE OF WHITE COLOUR MARKERS LOCATED FM THR LEFT HAND SIDE OF RWY05 DIST OF 100M, 200M, 300M, 400M AND ON LEFT HAND SIDE OF RWY23 DIST OF 100M, 200M AND 300M.

OTH B) 2006250223 C) PERM (B0450/20)
 E) KB HELIPAD LIGHTING HGT IS 40CM ABV GND LEVEL

OTH B) 1409010700 C) PERM (B0139/16)
 E) THE REMOTE SWITCH FUNCTION FOR AD GND LIGHTING (AGL) ON FREQ 122.1MHZ IS CURRENTLY OUT OF SERVICE DUE TO INSTALLATION OF THE NEW SWITCHBOARD PANEL

NAV B) 2009090000 C) 2009170800 (B0687/20)
 D) SEPT 09 - 10, 15 - 17 0000 - 0400 0600 - 0800
 E) UAV ACT WILL TAKE PLACE WI RAD 200M CENTRED ON COORD POSN :
 1.043323N1142509E (SG BELAIT,BADAS)
 2.043958N1142853E (SG LIANG, BELAIT)
 3.043844N1142719E (LUMUT, BELAIT)
 4.043908N1142814E (LUMUT, BELAIT)
 5.043944N1142829E (LUMUT, BELAIT)
 6.043954N1142842E (LUMUT, BELAIT)
 F) GND G) 200FT AGL

NAV B) 2009030000 C) 2009271000 (B0666/20)
 D) SEPT 03-06 10-13 17-20 24-27 0000-0400 0500-1000
 E) UAV ACT WILL TAKE PLACE WI RAD 100M CENTRED ON COORD 044033N1142855E (SPARK) AND 044101N1142843E (JETTY LOADING PLATFORM)
 F) GND G) 400FT AGL

NAV B) 2009010000 C) 2009300900 (B0655/20)
 D) SEP 01-04 07-11 14-18 21-25 28-30 0000-0900
 E) UAV ACT WILL TAKE PLACE WI RAD 100M CENTRED ON COORD 044030N1142900E (BFI SPARK CONSTRUCTION AREA)
 F) GND G) 350FT AGL

WBKK (KOTA KINABALU)

AGA B) 2009140500 C) 2009202359 (D0932/20)
 E) POTHOLE AT APN TXL BAY 6 DIMENSION OF 05FT X 08FT X 02INCH
 RMK: PILOT TO EXER CTN DRG TAX

AGA B) 2009121410 C) 2009192359 (D0925/20)
 E) TWY C CL LGT ON ALTN.

AGA B) 2009121409 C) 2009192359 (D0924/20)
 E) RCLL ON ALTN.

AGA B) 2008311330 C) 2011302359 EST (D0881/20)
 E) AUTOMATIC WEATHER OBSERVING SYSTEM(AWOS) RWY20 U/S.
 RMK/WIND VELOCITY,DIRECTION AND RVR INFO BY TWR OBS ONLY

AGA B) 2008310700 C) 2009052359 EST (D0878/20)
 E) RCLL ON ALTN

AGA B) 2007300706 C) 2009301600 (D0771/20)
 E) AD FIRE AND RESCUE DOWNGRADED TO CAT 7
 RMK: AD FIRE AND RESCUE WILL BE UPGRADED TO CAT 9
 UPON RECEIVING NOTIFICATION FOR CODE E ACFT OPS WI 24 HR

OTH B) 2007291008 C) 2010312359 EST (D0764/20)
 E) 3 TOWER CRANE ERECTED IN THE VICINTY OF AD
 COORD 055445.9N 1160351E. HGT 96 METER (315FT AMSL)
 FLAGGED AND LGTD AT NGT.
 RMK: LOCATED APPROX 2400M EAST OF THR RWY 02

OTH B) 2007080300 C) 2010080300 EST (D0693/20)

E) CRANE ERECTED AT COORD 055915.03N 1160442.44E
F) GND G) 330FT AMSL

OTH B) 2007010000 C) 2009302359 EST (D0575/20)
D) HJ
E) FOUR(4)OBST CRANE ERECTED APRX 2.6KM FM END OF RWY02
AT COOR 055820.86N1160330.82E. FLAGGED AND LTGD AT NGT.
F) SFC G) 315FT AMSL

OTH B) 2006300059 C) 2009302359 EST (D0656/20)
E) FOUR TOWER CRANE ERECTED AT COORD 055820.86N 1160330.82E. APPROX
2750M BFR THR RWY20,600M W OF EXTENDED RCL.CRANES HGT/170FT AMSL

OTH B) 2006300050 C) 2009302359 EST (D0655/20)
E) TWO TOWER CRANE ERECTED AT COORD 055821.02N 1160404.25E,APPROX
3100M FM END OF RWY20.CRANE HGT/240FT AMSL

OTH B) 2006300044 C) 2009302359 EST (D0654/20)
E) CRANE ERECTED AT COORD 055748.42N 1160411.41E (URBAN
TRANSFORMATION CENTER BUILDING, KARAMUNSING)CRANE HGT/300FT AMSL.

OTH B) 2006300036 C) 2009302359 EST (D0653/20)
E) THREE TOWER CRANES ERECTED AT COORD 055703N 1160338E
(AEROPD,TANJUNG ARU),APRX 385M E OF RCL.CRANES HGT/300FT AMSL

WBKL (LABUAN)

AGA B) 2008150600 C) 2009301000 (D0827/20)
E) AD OPS HR CHANGED TO 2200-1000

AGA B) 2006300025 C) 2009302359 EST (D0652/20)
E) UNEVEN RWY SFC
RMK: 1.RWY 32 FM THR MARKER TIL 457M
2.RWY 14 FM THR MARKER TIL 914M
PILOT TO EXER CTN DRG TKOF AND LDG

AGA B) 2006291551 C) 2009302359 EST (D0650/20)
E) NORTHERN CABLE U/S

AGA B) 2006270230 C) 2009272359 (D0633/20)
E) WIP NEAR TWY A.
RMK/PILOT TO EXER CTN DRG TAX.

AGA B) 2006181431 C) 2009182359 EST (D0592/20)
E) TWY B CLSD.

WBKS (SANDAKAN)

AGA B) 2009120313 C) 2011250000 (D0922/20)
E) ACFT LDG RWY 26 SHALL MAKE
180 DEGREE TURN ON THE RWY.

AGA B) 2009030730 C) 2011251600 EST (D0907/20)
E) TURNING PAD ON RWY 08 CLSD DUE WIP.

AGA B) 2009012300 C) 2011301300 (D0850/20)
E) AD OPS HR CHG TO 2300-1300

AGA B) 2008251600 C) 2011251600 (D0843/20)
E) RWY08/26 DECLARED DIST CHANGED TO:
RWY TORA(M) TODA(M) ASDA(M) LDA(M) RESA(M)
08 1923 1923 1923 NU 90X90
26 1923 1923 1923 1923 90X90
REF AIP SUPPLEMENT MALAYSIA 05/2020 DATED 28 MAY 2020 PAGE 3 ITEM
NR 7

AGA B) 2008251600 C) 2011251600 (D0844/20)
E) PAPI RWY 08 WITHDRAWN

E) MOBILE CRANE OPS 570M FM THR RWY20 LEFT AND RIGHT.
 CRANE HEIGHT :150 FT
 RMK:DLA SCHEDULED FLIGHTS MIGHT BE OPR BEYOND OPS HR

WBG (SIBU)

AGA	B) 2009131315 E) AD OPS HR CHANGED AS FLW: MON 2200-1230 TUE,THU,SAT 2200-1200 WED,FRI,SUN 2200-1400	C) 2009211400	(D0927/20)
CNS	B) 2009142200 D) 14 2200-2359 15 0000-1200 2200-2359 16 0000-1400 2200-2359 E) 17 0000-1200 RADAR SERVICE OPR HR CHANGED	C) 2009171200	(D0929/20)
CNS	B) 2001110241 E) NDB NIS FREQ 203KHZ PERMANENTLY WITHDRAWN	C) PERM	(D0029/20)

WBKW (TAWAU)

NO INFO RECEIVED OR MATCHING THE QUERY.

WBMU (MULU)

AGA	B) 2008310318 E) CRACK SFC ARE PRESENT ALONG THE TWY ON THE RIGHT AND LEFT SIDE. RMK:1.PILOT TO EXER CTN DRG TAX IN/OUT. 2.AREA RIGHT AFT/BFR HLDG POINT OF ROUGHLY EST BTN 15M TO 35M AND NOT MARKED.	C) 2011302359 EST	(D0876/20)
AGA	B) 2006262359 E) BIRD CONCENTRATION ALONG RWY AND APCH RWY 03	C) 2009262359 EST	(D0632/20)
AGA	B) 2006262358 E) AD OPS HR CHANGE FM HJ TO 0000-0800.	C) 2009262358 EST	(D0631/20)
CNS	B) 2008310320 E) DVOR VZU FREQ 112.8MHZ CH 75X U/S	C) 2011302359 EST	(D0877/20)

WBG (KUCHING)

AGA	B) 2009141700 D) 1700-2000 E) RWY 07/25 CLSD FOR MAINT	C) 2009192000	(D0928/20)
AGA	B) 2008310121 E) PAPI RWY 07 U/S	C) 2009301000	(D0871/20)
AGA	B) 2007300026 E) TWY A1 CLSD	C) 2010311000 EST	(D0766/20)
AGA	B) 2007130001 E) AFRS DOWNGRADED TO CAT 7	C) 2010132359	(D0699/20)
AGA	B) 2006281118 E) ACFT UPON LDG RWY 25 AND VACATING VIA TWY A3 SHALL NOT MAKE A RIGHT TURN ONTO TWY A AND PCD TO CARGO APN EXC FOR LGT ACFT.	C) 2009282359 EST	(D0639/20)
AGA	B) 2006281103 E) SFC DEPRESSION ON TWY F	C) 2009282359 EST	(D0636/20)
CNS	B) 2008311525 E) ATS UNDER KUCHING AREA CTL (SECT 2) WITH RADIO FREQ(S) 132.35 MHZ	C) 2011302359 EST	(D0882/20)

(PRI) AND 133.95 MHZ (SRY) TEMP WITHDRAWN.

CNS	B) 2006281114 D) DLY 0000-0800 E) COMMISSIONING OF NEW KUCHING AREA CTL (SECT 2) RDO FREQ(S): 1.132.35 MHZ (PRI) 2.133.95 MHZ (SRY) RMK: ACTIVATION OF THE FREQ IS SUBJ TFC COND AND ATC STAFF AVAILABILITY	C) 2009280800 EST	(D0638/20)
OTH	B) 2008310130 E) PRESENCE OF CONSTRUCTION CRANE HGT 265FT AMSL AT COORD 013058N 1102044E (BEARING 005 DEG 5.5 KM FM KUCHING ARP 012907N 1102042E) RMK: (1) CONSTRUCTION CRANE PAINTED YELLOW AND LGTD (2) TWO BUILDING BLOCKS HEIGHT 240 FT AMSL (72.4M AMSL) UNDER CONSTRUCTION.	C) 2011302359 EST	(D0873/20)
OTH	B) 2007300852 E) CRANE ERECTED 210FT AMSL (64M) AT COORD 012928N 1102031.07E DIST 730M ON BRG 335DEG FM ARP. GND-210FT AMSL	C) 2010302359 EST	(D0770/20)
OTH	B) 2007300835 E) TWO(2) TOWER CRANES ERECTED 43M AMSL AT 013028.05N 1102249.69E (RIVERDALE RESIDENCES,KUCHING) 2,070M ON BRG 040 FM THR RWY 25 RMK:TOWER CRANES WITH BOOM PAINTED AND LGTD AT NGT. GND- 150FT AMSL	C) 2010302359 EST	(D0769/20)
OTH	B) 2006281106 E) CRANES ERECTED WI 400M RADIUS CENTERED ON 013421N 1102226E (LOT 2273 AND 2325 PLOT 1,SECTION 66,KUCHING CENTRAL LAND DISTRICT,KUCHING).CRANE HGT/200FT AMSL	C) 2009282359 EST	(D0637/20)

WMKK (KUALA LUMPUR/SEPANG INTL)

AGA	B) 2009151500 D) EV TUE 1500-2200 E) RWY 15/33 CLSD.	C) 2009302200	(A3386/20)
AGA	B) 2009140430 D) EV MON 0430-1200 E) RWY 15/33 CLSD.	C) 2009301200	(A3387/20)
AGA	B) 2009140130 D) EV MON 0130-0230 E) RWY 14R/32L CLSD.	C) 2009300230	(A3385/20)
AGA	B) 2009131400 D) SUN-SAT EXC TUE 1400-2200 E) RWY 14R/32L CLSD	C) 2009302200	(A3378/20)
AGA	B) 2009070400 E) PAPI RIGHT HAND SIDE RWY 32L U/S.	C) 2010152200	(A3294/20)
AGA	B) 2009040100 D) FRI-THU 0100-1100 EXC SEP 07 14 21 28 E) RWY 14L/32R CLSD	C) 2009301100	(A3173/20)
AGA	B) 2008312200 E) STOPBAR LGTS INT P1,P2,P3 AND P4 WITHDRAWN FOR MAINT.	C) 2009302200	(A3186/20)
AGA	B) 2008290953 E) CL LGTS OF TWY U4 BTN TWY Q AND ACFT STAND P1 AND BTN ACFT STAND Q11 AND TWY Z WITHDRAWN.	C) 2009302200	(A3194/20)
AGA	B) 2008290942 E) TWY U3 CL LGTS WITHDRAWN.	C) 2009302200	(A3193/20)

AGA	B) 2008290352 E) TWY P CL LGTS BTN INT P2 TIL INT P4 WITHDRAWN FOR MAINT.	C) 2009302200	(A3191/20)
AGA	B) 2008290246 E) INFO SIGN TWY P AND Q WITHDRAWN FOR MAINT.	C) 2009302200	(A3189/20)
AGA	B) 2008071523 E) AUTOMATED WEATHER OBSERVING SYSTEM(AWOS) RWY 15(TDZ)/RWY 33 (END ZONE) U/S.	C) 2011072359 EST	(A2881/20)
AGA	B) 2008070700 E) RWY 15/33 CL LGTS U/S	C) 2010072359	(A2876/20)
AGA	B) 2007310657 E) STOPBAR LGT INT C1 TIL INT C11 WITHDRAWN FOR MAINT. RMK: LEAD IN AND OUT LGT INT C1 TIL C11 NOT AVBL	C) 2010012200	(A2791/20)
AGA	B) 2007240815 E) PORTION OF TWY U3 FM ABM ACFT STAND J22 TIL INT Q CLSD.	C) 2010091400	(A2690/20)
AGA	B) 2003190413 E) NEW ESTABLISHED ACFT STAND C16R COORD 024502.18N 1014244.52E FOR ACFT TYPE A380 ONLY.	C) PERM	(A1272/20)
AGA	B) 2003170900 E) NEW ESTABLISHED ACFT STAND C12R COORD 024458.16N 1014247.29E FOR ACFT TYPE A380 ONLY	C) PERM	(A1250/20)
CNS	B) 2008020230 E) APCH AND RWY LIGHTINGS ILS CAT 11 SUSPENDED AND DOWNGRADE TO CAT 1	C) 2010312300	(A2815/20)
CNS	B) 2007310803 E) SMR U/S RMK: DEP AND ARR SUBJ DLA	C) 2010302359 EST	(A2794/20)
ATM	B) 2008010530 E) REF TO AIP MALAYSIA AD2-WMKK-1-29 PARA 2.22.7 - VIS COND IS TEMPO SUSPENDED	C) 2010312300	(A2807/20)
ATM	B) 2006010426 E) IMPLEMENTATION OF RNAV GNSS SIMULTANEOUS INDEPENDENT PARALLEL APCH AT WMKK FOR THE FOLLOWING INSTRUMENT APPROACH PROCEDURES: RWY 14L RNAV GNSS RWY 14R RNAV Z GNSS RWY 14R RNAV Y GNSS RWY 15 RNAV GNSS RWY 32L RNAV Z GNSS RWY 32L RNAV Y GNSS RWY 32R RNAV GNSS RWY 33 RNAV GNSS RMK: 1. PILOTS SHALL MONITOR WMKK CATIS (ARRIVAL) FOR THE EXPECTED INSTRUMENT APPROACH. 2. OPERATORS ARE RESPONSIBLE TO OBTAIN THE GNSS RAIM PREDICTION ASSOCIATED WITH GNSS AVAILABILITY OR IT'S UNAVAILABILITY, AT THIS STAGE CAAM WOULD NOT PROVIDE THIS SERVICE. 3. PILOTS SHOULD NOTIFY ATC DEGRADATION OF THE RAIM DATA SIGNAL OR BEING UNABLE TO PERFORM THE RNAV (GNSS) APCH.	C) 2009012359 EST	(A2010/20)
OTH	B) 2009150500 E) CRANE ERECTED AT COORD 24428.9N 1014308.4E (ACFT STAND F26) MAX HGT 20M	C) 2009160500	(A3406/20)
OTH	B) 2009030300 D) 0000-1400 E) THREE CRANES ERECTED AT COORD OF 24410.9N 1014102.1E (ACFT STAND Q16). RMK:CRANES MAX HGT 30M.	C) 2009301400	(A3263/20)
OTH	B) 2008100418 E) CTL TOWER WEST (024445.7N1014105.0E) OBSTRUCTION LGT U/S	C) 2011102359 EST	(A2912/20)

RMK : HEAVY EQUIPMENT PRESENT

CNS B) 1912060409 C) PERM (A4522/19)
E) NEW SECONDARY FREQ OF MAKASSAR RADAR ON 123.80 MHZ
REF AIP VOL I AMDT 83 DATED 05 DEC 19 ENR 2.1
AND VOL II AMDT 58 DATED 08 DEC 16 WAAA AD 2.18

WIHH (JAKARTA/HALIM PERDANAKUSUMA)

AGA B) 2009111900 C) 2009302100 (A2066/20)
D) 11 1900-2100 12-30 1600-2100
E) RWY 06/24 CLSD DUE TO WIP

CNS B) 2007160420 C) 2010161659 (A1538/20)
E) MIDDLE MARKER ON FREQ 75MHZ U/S

WADD (BALI INTL)

AGA B) 2009091600 C) 2010302300 (A2036/20)
D) 09 1600-2300, SEP 10-OCT 30 1500-2300
E) RWY 09/27 CLSD DUE TO WIP
RMK: EXC FOR EMERG LDG

AGA B) 2007100000 C) 2010101800 (A1501/20)
D) DAILY 0000-1800
E) ALL TFC CTN ADZ DUE TO WIP PSN ON AREA WI COORD AS FLW:
084445.60S1150930.06E-084447.87S1150930.15E-084448.75S1150907.61E
-084
446.47S1150907.52E-084445.60S1150930.06E
RMK :-HVY EQPT PRESENT
-CRANE ERECTED HGT 100FT

ATM B) 2008051024 C) PERM (A1682/20)
E) ADDITIONAL DATA RELATED TO ATS COMMUNICATION FACILITIES AS FLW:
BALI DIRECTOR SECONDARY FREQ : 123.15MHZ
REF AIP VOL II AMDT 90 DATED 23 APR 20 SUBSECTION WADD AD 2.18

OTH B) 2007010001 C) 2009292359 (A1454/20)
E) OBSTACLE ANEMOMETER AWOS MIDDLE ERECTED ELEV 45.9FT HGT 32.8FT PSN
ON COOR 084457.48S1151024.24E

WARR (SURABAYA/JUANDA)

AGA B) 2008310230 C) 2011300159 (A1907/20)
E) ALL ACFT ARE NOT ALLOWED MAKE ONE WHEEL LOCK TURN ON RWY 10/28

AGA B) 2007221400 C) 2010212159 (A1570/20)
D) DAILY 1400-2159
E) AD CLSD DUE TO WIP EXC FOR MEDIVAC HELICOPTER

AGA B) 2007021700 C) 2009301700 (A1459/20)
E) PARKING STAND A6 CLSD DUE TO WIP

AGA B) 2007020230 C) 2010020200 (A1470/20)
E) RWY HOLDING POSITION TWY N1 REPLACE TO TWY NP2 BTN TWY N2 AND TWY
N9 DUE TO BUMPY SURFACE
RMK : ALL TFC SUBJ ATC CLR

CNS B) 2008282300 C) 2009282159 (A1882/20)
E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC:
CLEARANCE DELIVERY COMBINE WITH SMC ON FREQ 118.9MHZ EVERY MON - FRI
0000-0559

CNS B) 2008282300 C) 2009282159 (A1883/20)
E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC:
CLEARANCE DELIVERY AND SMC COMBINE WITH TWR ON FREQ 118.3MHZ EVERY
MON - FRI 0600-2359 SAT - SUN 0000-2359

CNS

B) 2008282300

C) 2009282159

(A1884/20)

E) ATS COMMUNICATION CHANGED DUE TO SIGNIFICANT REDUCING TRAFFIC:
SURABAYA EAST TMA AND SURABAYA DIRECTOR COMBINED WITH SURABAYA WEST

TMA ON FREQ 125.1MHZ

END OF DOCUMENT